Bur. Ent. & P. Q. Issued May 1939

United States Department of Agriculture

BUREAU OF ENTOMOLOGY AND PLANT QUARANTINE SERVICE AND REGULATORY ANNOUNCEMENTS

LIST OF INTERCEPTED PLANT PESTS, 1937

(List of Pests Recorded During the Period July 1, 1936, to June 30, 1937, Inclusive, as Intercepted in, on, or with Plants and Plant Products Entering United States Territory.)

INTRODUCTION

The period covered by this report represents the twenty-fourth year for which lists of intercepted plant pests have been issued. While the earlier reports gave the details regarding practically all organisms found on the plant material inspected, the present paper omits many organisms entirely and summarizes the interceptions of many common or incompletely determined pests in short paragraphs, hence the detailed table contains only a fraction of the total findings.

This report is based on interceptions for which determinations were received and indexed during the fiscal year. Determinations for collections made late in the year are often received after the close of the year and are included with those of the following year. The summarized records cover pests intercepted in, on, or with plants and plant products (1) imported, (2) offered for but refused entry, (3) held as ships' stores, etc., and hence not imported through customs, (4) offered for entry for immediate export or for immediate transportation and exportation in bond, and (5) in domestic shipments reaching the mainland from Hawaii and Puerto Rico.

A cross-indexed file covering the more important and interesting interceptions is maintained in Washington and serves as the basis for this list. State and customs officials collaborate with the Bureau and supplement routine reports of regular employees. Determinations of some of the commoner pests are made by inspectors familiar with them, but most of the insects are determined by specialists of the Bureau and most of the more difficult determinations of plant diseases are made or verified by specialists of the Bureau of Plant Industry. Staffs of specialists maintained by the States of California and Florida and the Territory of Hawaii make a large part of the determinations for interceptions at their ports.

Statements as to the origin of plant materials inspected cannot be verified in some cases, but every effort is made to determine the origin as accurately as possible. Items that are obviously doubtful are not listed from any country. In this connection it may be noted that where holds and storage chambers are not thoroughly cleaned at frequent intervals, pests able to propagate under such conditions may be found attacking products of countries in which the pests do not occur.

NOTES ON INSECTS INTERCEPTED

FRUITFLIES

The following fruitflies were intercepted: Anastrepha grandis in pumpkin from Argentina ¹ and (adult) with banana debris from Panama; Mexican fruitfly (A. ludens) in orange and sapodilla from Guatemala, mango from Honduras, and avocado, cherimoya, grapefruit, guava, mamey, mango, orange, peach, pear, pomegranate, quince, sour orange, sweet lime, tangerine, and white sapote from Mexico; A. mombinpraeoptans in Malayapple from Dominican Republic, mango from Haiti, and guava, mango, and orange from Puerto Rico; A. silvai (adult) with banana debris from Panama; A. striata in guava from Mexico; A. suspensa in guava from Dominican Republic; Anastrepha sp. in mango from Bahamas, Costa Rica, Cuba, Guatemala, Haiti, Jamaica, Mexico, Puerto Rico, and Trinidad, loquat from Bermuda, grapefruit and orange from Brazil, star-apple from Colombia, orange from Guatemala, rose apple and star-apple from Honduras, apple, grapefruit, guava, mamey, orange, peach, pear, sapodilla, sapote, and sweet lime from Mexico, guava from Puerto Rico, and Lucuma obovata from the

1

¹ For details of interceptions mentioned in the text see lists under the countries named.

west coast of South America; Mediterranean fruitfly (Ceratitis capitata) in guava and sorbe apple from Azores, loquat from Bermuda, grapefruit and orange from Brazil, pear from Germany, pear and quince from Greece, coffee and mango from Hawaii, orange, persimmon, tangerine, and on paper packing in crate of tangerines from Italy, (puparia) on paper wrapping around apples from Malta, grapefruit from Palestine, grape, orange, and (puparium) on paper wrapping around orange from Spain; melon fly (Dacus cucurbitae) in string bean, wax bean, and (puparia) on sphagnum moss packing with soil around palm trees from Hawaii; olive fruitfly (D. oleae) (adults, larvae, and puparia) among fresh olives from France and Italy; celery fly (Philophylla heraclei) in celery and parsley from England and celery from Italy; Rhagoletis sp. in Crataegus sp., Prunus capollin, and walnut from Mexico; papaya fruitfly (Toxotrypana curvicauda) in papaya from Bahamas; trypetid (puparia) on parsley from England, in globe artichoke from Italy, and in orange and (puparia) with Compositae from Mexico.

INSECTS OTHER THAN FRUITFLIES

Larvae and pupae of Agromyza pinguis (Agromyzidae) were intercepted in witloof leaves from Belgium. The citrus blackfly (Aleurocanthus woglumi) was taken on leaves of orange and sour lime from Bahamas, sour lime from Cuba, and sweet lime from Jamaica. Aleurolobus marlatti (whitefly) was intercepted on leaves of Citrus sp. from Italy, orange and tangerine from Japan, and orange from Mexico. Anaphothrips obscurus was intercepted on parsley from France. Vetch from Belgium, France, Poland, and Scotland was infested with Apion pomonae (Curculionidae). Aspidiotus degeneratus (Coccidae) was taken on camellia from Japan. Larvae of Baris lepidii (Curculionidae) were intercepted in horseradish roots from Czechoslovakia and Poland. Bruchidius histrio (Bruchidae) was intercepted with seed of Lupinus sp. from Turkey. Adults of Bruchus emarginatus arrived in peas from India. The turnip gall weevil (Ceutorhynchus pleurostigma) was taken in rutabaga from Germany, Netherlands, Scotland, and Sweden and turnip from Denmark, England, France, Germany, Netherlands, Poland, and Scotland. The Asiatic rice borer (Chilo simplex) arrived with rice straw from China and Japan, Rhapis humilis from China, and packing material for flowering cherry tree from Japan. Cholus cattleyarum (Curculionidae) was found in a pseudobulb of an orchid from Mexico. Chrysomphalus inopinatus (Coccidae) was intercepted on apple stem from Syria. An adult of the banana root borer (Cosmopolites sordidus) arrived with banana debris from Panama. Dialeurodes kirkaldyi (whitefly) was intercepted on Cape-jasmine from Hawaii. Dicaiothrips angusticeps arrived with pineapples from Cuba and Mexico. Potatoes from Mexico were infested with the potato weevil (Epicaerus cognatus).

The West Indian sweetpotato weevil (Euscepes batatae) was intercepted in sweetpotato from Brazil, Cuba, Jamaica, Puerto Rico, and St. Vincent. Exosoma lusitanica (Chrysomelidae) was taken in cipollini from Morocco. Formosapis formosanus (Coccidae) was intercepted on dry bamboo leaves from China. Frankliniella formosae (thrips) was found on Chinese cabbage from Japan. A larva of Gymnandrosoma aurantianum (Olethreutidae) was intercepted in an orange from Brazil. The turnip mud beetle (Helophorus rugosus) arrived with radish from England and turnip from France. Hercinothrips pattersoni was found on Aloe grandidentata from Union of South Africa. Laspeyresia splendana (Olethreutidae) was intercepted in chestnuts from Azores, Greece, Italy, Japan, Portugal, and Switzerland and in acorn from Portugal. Lepidosaphes halli (Coccidae) was found on an apricot tree from Syria. Leptoglossus chilensis (Coreidae) was taken on grapes from Chile. The bean pod borer (Maruca testulalis) was intercepted in string beans from Brazil, Hawaii, Java, Mexico, and Puerto Rico, lima beans and string beans from Cuba, beans from Japan, and on leis from Hawaii. Megastigmus aculeatus (Callimomidae) infested rose seed from France, and M. cryptomeriae was found in seed of Cryptomeria japonica from Japan. Micrelus ericae (Curculionidae) infested heather from Germany and Scotland. Larvae and pupae of Mordellistena cattleyana (Mordellidae) were taken in Cattleya sp. from Brazil. Napomyza lateralis (Agromyzidae) was intercepted in witloof leaves from Belgium. Orthotylus ericetorum (Miridae) was found on heather from Scotland. Adults of Pachymerus olearius (Bruchidae) were taken in seed of Attalea excelsa from Brazil. The yam weevil (Palaeopus costicollis) was intercepted in a sweetpotato from British Guiana and yams from Jamaica. The pink bollworm (Pectinophora gossypiella) was intercepted in cotton bolls from Bahamas, Cuba, and Mexico, cottonseed from Brazil, Dutch Guiana, Egypt, and Mexico, seed cotton from

June 1937]

Brazil, Mexico, and Turkey, cottonseed adhering to old bagging and rags, raw cotton packing, and cushion of saddle filled with raw cotton from Egypt, sunset hibiscus seed from Brazil, and okra pods from the Virgin Islands. Platythrips tunicatus was intercepted on heather from Scotland. The Philippine orange moth (Prays citri) infested sour limes from the Philippines. Psyllia peregrina (Chermidae) was taken on hawthorn from England. Psyllia peregrina (Chrysomelidae) arrived with cabbage and turnip from Denmark, turnip from England, France, India, and Spain, rutabaga and turnip from Germany, cauliflower and white-sprouting broccoli from Italy, and cabbage and cauliflower from Scotland. Cottonseed from Colombia and Panama were infested with the South American bollworm (Sacadodes pyralis). Sericothrips staphylinus was intercepted on a violet leaf from England. The durra stem borer (Sesamia cretica) was intercepted in broomcorn from Italy and Morocco and sugarcane from Madeira Islands. Larvae of the avocado seed moth (Stenoma catenifer) were intercepted in avocado seed from British Honduras, Honduras, and Mexico and avocado from Mexico. A larva of Talponia batesi (Olethreutidae) was taken in a cherimoya fruit from Mexico. Vesiculaphis caricis (aphid) was intercepted on azalea from Japan.

NOTES ON PLANT DISEASES INTERCEPTED

SPECIES NEW TO THE INTERCEPTION FILES

Plant disease interceptions during the year included the usual number of organisms new to our interception files. Albugo bliti (Biv.) O. Kuntze was found on Amaranthus from Cuba; Ascochyta conorum P. Henn. on spruce cones from Germany and Norway; A. lycopersici Brun. on eggplant from Italy and on tomatoes from Canary Islands and French Morocco; Botrytis elliptica (Berk.) Cke. on lily bulbs from Japan; Cercospora bloxami Berk. and Br. on turnip from Colombia; C. nicotianae E. and E. on tobacco from Cuba, Haiti, and Philippines; C. petroselini Sacc. on parsley from Morocco; Claviceps tripsaci Stevens and Hall on Tripsacum sp. from Mexico; Colletotrichum erumpens Sacc. on rhubarb petioles from Sweden; C. spinaciae E. and H. on spinach from Belgium; Cylindrosporium chrysanthemi Ell. and Dearn. on chrysanthemum from Mexico; Diplodia juglandis Fries on walnut from Poland; Diplodiella goetheana Trav. on palm from Italy; Fusicladium depressum var. petroselini Sacc. on parsley from Poland; Gloeosporium apiosporium Sacc. on bearberry leaf from Italy; G. intermedium var. epidendri Sacc. on orchid from Dominican Republic; G. leguminum Cke. on Prosopis from Mexico; Helminthosporium curvulum Sacc. on pepper from Cuba; Hemileia Mexico; Helminthosporium curvulum Sacc. on pepper from Cuba; Hemileia oncidii Griff. and Maubl. on orchids from Brazil and England; Hendersonia grossulariae Oud. on gooseberry from Norway; Leptosphaeria culmicola (Fr.) Karst. on wheat straw from France; L. tritici (S. Gorovaglio) Pass. on wheat leaves from Italy; Melampsora pinitorqua Rostr. on mugho pine from Germany; Microdiplodia diervillei C. E. Fairman on Diervilla from France; Mycosphaerella lythracearum Wolf. on pomegranate from Mexico; M. shiraiana Miy. on rice hulls from Japan; Nectria binotiana Sacc. on orchid from Venezuela; Peronospora valerianellae Fckl. on Valerianella from France; Pestalozzia batatae E. and E. on sweetpotato from Japan; Phaeochora neowashingtonianae (Shear) Theiss and Syd. on palm from Mexico; Phoma echinopsidis Speg. on Echinopsis from Argentina; Phomopsis capsici (Magn.) Sacc. on pepper from Cuba and Mexico; Phragmidium disciflorum (Tode) James on rose from Hungary; Phyllosticta grandimaculans dium disciftorum (Tode) James on rose from Hungary; Phyllosticta grandimaculans Bub. and Krieg. on strawberry from Norway; P. japonica Miy. on paddy rice from China; P. laeliae Keissler on orchid from Mexico; P. stanhopeae All. on orchid from Guatemala; Physalospora orchidearum P. Henn. on orchid from Dominican Republic; Pleospora neottiae Hollos on orchids from Guatemala and Mexico; Puccinia absinthii DC. on tarragon from England and on wormwood from France; P. boutelouae (Jennings) Holw. on grass from Mexico; P. chloridis Speg. on fingergrass from Mexico; P. mayorii Ed. Fischer on Sideritis from Greece; P. versicolor Diet. and Holw. on grasses from Mexico; Sclerotinia laxa (Ehrenb.) Aderh. and Ruhl. on apples from Germany, Ireland, Italy, and Poland, on cherry from Portugal, on plum from France, and on pear from Germany. (Ehrenb.) Aderh. and Kuhl. on apples from Germany, freiand, trafy, and Foliand, on cherry from Portugal, on plum from France, and on pear from Germany; Septoria anthrisci Pass. and Brun. on Anthriscus from Italy; S. primulae Buch. on primrose from England; Stagonospora macrospora (Dur. and M.) Sacc. on agave from Italy; Uredo ignava Arthur on bamboo leaf from Tobago; U. rochiae Putt. on Myrciaria from Brazil; Uromyces chloridis Doidge on grass packing from South Africa; and Ustilago esculenta P. Henn., an edible smut, on Zizania from Inna. Japan.

NEW SPECIES AND NEW, UNUSUAL, OR OTHERWISE INTERESTING RECORDS

A number of interceptions were of particular interest because they were unlike described species or unlike species known to occur on the host or because the record was unusual for some reason. Among these interceptions were the following: Ascochyta sp. associated with Cercospora petroselini Sacc. on parsley from Morocco and a later interception of what may be the same species on parsley from Germany; citrus canker, Bacterium citri (Hasse) Doidge, was intercepted on citrus from Ceylon, China, Dutch East Indies, Japan, and Straits Settlements, the hosts including lemon for the first time in our interception records; Botrytis allii M. T. Munn was intercepted from the Tropics for the first time on onions from Straits Settlements; Camarosporium sp., no species reported on orchids, was found on Oncidium sp. from Honduras; Cephalosporium pammelii var. purpurascens Buchanan was again intercepted on apples from Japan; a black rot of carrot intercepted from Belgium, England, France, and Germany had, in several cases, numerous fruiting bodies of a fungus tentatively determined as Ceratostomella fimbriata (E. and H.) Ell.; Cercospora sp., probably a new species, was found on Tradescantia from Mexico; Cercospora sp., no species found reported on the host, was intercepted on Cordia from Mexico; Colletotrichum agaves Cav. on agave from Mexico; Colletotrichum sp., near C. lujae Verpl. and Claess. but perhaps a new species, was found on orchid from Dominican Republic; Colletotrichum sp., unlike species reported on host, was found on Oncidium from Mexico; Coniosporium sp., unlike species reported on bamboo, was found on a bamboo stake in plants from Canada; Coniothyrium sp., unlike either species reported on orchids, was intercepted on Oncidium from Honduras; Didymella sp., unlike species reported on rose, found on manetti rose stocks from Netherlands; Elsinoe australis Bitancourt and Jenkins was intercepted on shipments of lemons from Paraguay; Gloeosporium affini Sacc. was intercepted on orchids from Costa Rica and Venezuela; G. oncidii Oud. was found on orchids from Costa Rica; an unusual Gloeosporium, not determinable, was found on peppers from Cuba; Heterosporium allii Ellis and Mart. was intercepted on onion for the first time, material being from Chile and France; Kabatiella sp. was isolated from a rot of apple from Australia; Mollisia sp., no species reported on orchids, was found on orchids from Guatemala; a fungus found infecting spruce cones from Germany did not fit the description of any named species of Myxosporium or Gloeosporium; Ophiobolus sp., no species reported on orchids, was found on a shipment of Cattleya mossiae from Venezuela; Papulospora parasitica (Eid.) Harz was intercepted on tulips from Netherlands; Pestalozzia spp., unlike any species reported on orchids, were found on orchids from Guatespp., unlike any species reported on orchids, were found on orchids from Guate-mala and on Cymbidium from Japan; an undetermined species of Phoma, apparently new, was found on Hoodia and Raveresia from South Africa; Phomopsis spp., unlike species reported on the hosts, were intercepted on orchids from Guatemala, on Cymbidium from India, and on pods of Myroxylon from Trinidad; Phyllosticta sp. was intercepted on Arachis glabrata from Brazil, no such fungus seems to have been reported on Arachis; Phyllosticta sp., unlike any species reported on rice, was found on rice straw from Ceylon; a rust on bamboo from China was determined as Puccinia mitriformis Kusano but did not fit the description: Phizaca determined as Puccinia mitriformis Kusano but did not fit the description; Rhizoctonia bataticola (Taub.) Butler, formerly listed as Sclerotium bataticola Taub., continued to be intercepted on melons from Argentina and Chile; undetermined minute black sclerotia were found in horseradish root from Germany; undetermined minute black sclerotia were plentiful in morning-glory roots from Japan; diseased passion fruit from Madeira Islands had fruiting bodies and spores resembling those of Septoria fructigena B. and C. but was not definitely determinable; Sphaceloma perseae Jenkins was intercepted on avocados from Colombia; Uredo sp., apparently an undescribed species, was intercepted on Oncidium from Mexico; Uromyces betae (Pers.) Lev. was intercepted on beet leaves from Chile, indicating that this rust occurs in South America; Uromyces lespedezae-procumbentis (Schw.) Curt. was intercepted on leaves in shipments of lespedeza seed from Japan, and the fact that the Asiatic and American rusts under this name do not appear to infect each other's hosts makes it desirable to prevent entry of the Asiatic form; Volutella sp., apparently an undescribed species, was intercepted on sour oranges from Japan.

Unsuccessful efforts were made to isolate an organism from an apparently sterile spotting more or less prevalent on Mexican citrus fruits. If the disease spreads

as alleged by some it may be virus trouble.

The flowers of plants of Saccharum spontaneum grown from imported seed collected in Turkestan were found to contain a new species of seed-infesting nema (Anguina spermophaga Steiner), which may have been brought in with the seed.

NEMATODE INTERCEPTIONS

Nematode interceptions made during the year included Anguina (Anguillulina) ritici (Steinbuch) Filipjev in wheat seed from China and India; Aphelenchoides parietinus Bastian in various hosts from Bermuda, Chile, China, England, Finland, Germany, Japan, Netherlands, and Yugoslavia; Aphelenchus avenae Bastian on various hosts from England, Germany, Netherlands, and Norway; Cephalobus sp. (probably new) in yam from Grenada; Ditylenchus (Anguillulina) dipsaci (Kuhn) Filipjev in various hosts from Belgium, Denmark, England, France, Germany, Netherlands, Portugal, and Sweden; D. intermedius (de Man) Filipjev on alfalfa from Turkey; Heterodera marioni (Cornu) Goodey was intercepted on hosts new to the interception files, including Aloe vergenada, Drimia haverthiaides. hosts new to the interception files, including Aloe verecunda, Drimia haworthioides, and Pterodiscus luridus from South Africa, Epimedium sulphureum, Vinca minor, and V. minor alba from Netherlands, Primula reinii from Japan and Sinningia speciosa from England; Paraphelenchus pseudoparietinus Micol. in narcissus bulbs from Netherlands; Pratylenchus (Anguillulina) pratensis (deMan) Filipjev in various hosts from Bermuda, Dominican Republic, Germany, Grenada, Italy, Jamaica, Japan, Netherlands, Norway, and St. Vincent; Rotylenchus (Hoplolaimus) bradys (Steiner and LeHew) Filipjev in yams from Cuba (new locality record) and Jamaica.

AIRCRAFT INTERCEPTIONS

One thousand seven hundred and ninety-nine interceptions of insects were made. Among these were the following: Acroleucus tullus (Lygaeidae) on camellia from Mexico; Amorbia emigratella (Tortricidae) on Cape-jasmine from Mexico; Anaphothrips orchidaceus on orchid from Mexico; Mexican fruitfly (Anastrepha ludens) in orange from Mexico; Aspidiotus palmae and A. persearum on camellia from Mexico; A. spinosus on mamey from Cuba and camellia from Mexico; Chrysomphalus personatus on camellia and rose cutting from Mexico; Coccus viridis on Cape-jasmine from Cuba and coffee from Jamaica; Frankliniella cephalica (thrips) on rose from Colombia; F. cephalica melanommata on a bouquet from Jamaica; F. cubensis on rose from Cuba; F. fortissima on gladiolus from Mexico; Isochaetothrips reticulatus on camellia from Mexico; Limothrips denticornis on rose from Germany; Macrosiphum luteum (aphid) on orchid from Mexico; red-banded thrips (Selenothrips rubrocinctus) on rose from Cuba; Taeniothrips atratus on gladiolus from Germany; T. ericae on rose from Germany; T. hawaiiensis on Arabian jasmine (flower leis), Mexican frangipani, and ginger (leis) from Hawaii; and gladiolus thrips (Taeniothrips simplex) on gladiolus from Mexico.

Fifty-three plant disease interceptions were made on aircraft material during the year. Alternaria herculea on Brassica oleracea, Capnodium sp. and Cephaleuros the year. Atternaria herculea on Brassica oleracea, Capnoalium sp. and Cephaleuros virescens on Camellia japonica, Diplocarpon rosae on Rosa sp., Heterosporium echinulatum on Dianthus sp., Macrosporium sp., Meliola sp., Septobasidium sp. (2), and Stilbum sp. (33) on Gardenia florida, all from Mexico; Cercospora sp. on Dianthus sp. from Guatemala; Colletotrichum gloeosporioides on Citrus sinensis from Haiti; Colletotrichum sp. on Epidendrum sp. from Paraguay; Diplodia sp. on Aleurites triloba from Bahamas; Phomopsis citri on Citrus aurantium, Phomopsis sp. on Jasminum sambac, Septobasidium sp. on Citrus sinensis, and Sphaceloma fawcettii on Citrus aurantium from Cuba; Phyllosticta sp. on Arachis glabrata from Baraili. Santabasidium sp. on Citrus sinensis, Sprangesthega nannosa Brazil; Septobasidium sp. on Citrus sinensis from Jamaica: Sphaerotheca pannosa

on Rosa sp. from Germany.

In addition to the plant-disease interceptions there were eight collections of entomogenous fungi sent in on material from aircraft including Myriangium duriaei on Lepidosaphes beckii on orange from Jamaica and Parlatoria pergandii on orange from Brazil; Nectria diploa on Ischnaspis longirostris on coffee from Trinidad and on Lepidosaphes beckii on oranges from Cuba and Honduras; Sphaerostilbe sp. on unknown host on Gardenia florida (2) and camellia from

That there is a diversity of material, pests, and sources of origin in the airplaneinterceptions records is shown by the fact that insects or diseases or both were found in, on, or with hosts belonging to 83 genera, that insects taken during airplane inspections belonged to 325 genera and pathogens to 16 genera, and that the 22 countries of origin included countries in Europe, North America, South America, Central America, and Asia, as well as scattered islands in the Atlantic and Pacific Oceans.

COMMON PESTS INTERCEPTED

The following summaries of common insects and plant diseases may include forms or strains not yet introduced and hence potentially dangerous, but we have no practicable means for determining that point. The two sets of figures in parentheses following each pest name indicate the number of countries from which the pest was intercepted and the total number of interceptions.

INSECTS

Acanthoscelides obtectus (11–219), Ahasverus advena (35–170), Aphis gossypii (17–257), A. rumicis (15–72), Araecerus fasciculatus (24–63), Aspidiotus camelliae (15–55), A. cyanophylli (16–66), A. hederae (37–1,012), A. lataniae (36–252), A. perniciosus (5–21), Aulacaspis pentagona (18–49), A. rosae (8–10), Brevicorne brassicae (23–240), Carpocapsa pomonella (16–96), Cathartus quadricollis (8–249), Cavariella capreae (11–68), Cerataphis lataniae (15–60), Ceroplastes floridensis (5–27), Chionaspis citri (10–48), C. euonymi (4–18), Chrysomphalus aonidum (42–3,230), C. aurantii (37–666), C. dictyospermi (32–1,137), Coccus elongatus (3–27), C. hesperidum (27–261), Diaspis boisduvalii (23–143), D. bromeliae (7–126), D. echinocacti (15–68), D. echinocacti opuntiae (8–23), Ephestia cautella (22–179), Gnorimoschema operculella (31–193), Heliothis obsoleta (12–3,274), H. virescens (4–393), Heliothrips haemorrhoidalis (11–37), Hemichionaspis aspidistrae (17–142), H. minor (18–253), Howardia biclavis (12–176), Ischnaspis longirostris (16–65), Lasioderma serricorne (22–65), Lepidosaphes beckii (80–6,477), L. gloverii (31–974), L. ulmi (12–46), Macrosyphum solanifolii (18–276), Myzus persicae (24–507), Necrobia rufipes (17–35), Oryzaephilus surinamensis (26–178), Parlatoria pergandii (40–2,492), P. proteus (14–53), Plodia interpunctella (22–373), Pseudaonidia articulatus (35–847), Pseudooccus adonidum (16–37), P. brevipes (23–1,010), P. citri (35–273), P. maritimus (24–91), P. nipae (11–37), Rhizoglyphus hyacinthi (12–50), Rhizopertha dominica (8–171), Rhopalosiphum pseudobrassicae (8–94), Saissetia hemisphaerica (28–285), S. nigra (9–49), S. oleae (22–100), Sitodepea panicea (8–25), Sitophilus granarius (8–73), S. oryzae (31–1,251), Sitotroga cerealella (13–290), Tenebroides mauritanicus (17–169), Thrips tabaci (27–410), Tribolium castaneum (33–472), T. confusum (7–50), Typhaea stercorea (20–151): Total of these insect interceptions, 30,856.

DISEASES

Actinomyces scabies (57–863), Albugo candida (9–159), Alternaria brassicas (12–46), A. herculea (19–64), A. radicina (6–13), A. solani (2–101), Aspergillus niger (49–292), Bacillus carotovorus (35–113), Bacterium campestre (3–3), B. maculicola (16–74), B. marginatum (11–48), B. phaseoli (1–3), B. pisi (1–2), B. tumefaciens (6–70), B. vesicatorium (4–1,492), Basisporium gallarum (7–18), Botrytis cinerea (29–239), B. tulipae (2–7), Bremia lactucae (5–50), Capnodium citri (16–43), Cephalothecium roseum (20–125), Ceratostomella adiposum (4–71), C. paradoxa (20–307), Cercospora apri (2–4), C. beticola (3–14), C. capsici (3–378), C. neriella (1–10), C. rosicola (2–26), Cladosporium carpophilum (3–5), C. cucumerinum (3–4), C. fulvum (6–49), C. herbarum (7–93), Claviceps purpurea (2–4), Colletotrichum circinans (11–40), C. gloeosporioides (35–1,416), C. lagenarium (9–32), C. lindemuthianum (14–30), C. phomoides (3–6), C. pisi (3–6), Coniothyrium fuckelii (7–16), Corticum vagum (56–880), Diaporthe phaseolorum (3–81), Diplocarpon rosae (6–12), Diplodia natalensis (32–85), D. tubericola (14–19), D. zeae (5–36), Elsinoe favcetti (18–88), Erysiphe graminis (4–31), Fusarium moniliforme (3–57), Gibberella saubinetti (1–5), Gloeosporium limetticolum (13–258), G. musarum (5–7), Glomerella cingulata (20–46), Graphiola phoenicis (2–16), Helminthosporium allii (10–83), H. oryzoe (3–6), H. sativum (5–33), Heterodera marioni (20–87), Heterosporium allii (5–5), Leptothyrium pomi (8–12), Macrosporium tomato (4–53), Melanconium sacchari (15–29), Mycosphaerella brassicicola (10–91), M. pinodes (10–12), Oospora citri aurantii (7–12), O. lactis parasitica (10–24), O. pustulans (6–11), Penicillium digiatum (33–181), P. expansum (16–73), P. gladioli (4–10), P. glaucum (5–5), P. italicum (31–179), Peronospora parasitica (9–50), Pestalozzia guepini (5–8), Phoma betae (3–4), P. destructiva (17–1,059), P. lingam (5–7), Phomopsis citri (37–280), P. vexans (6–261), Phytophthora infestans (29–480), Puccinia antirrhini (2–6), P. chrysanthemi (4–22)

sclerotiorum (38–262), S. gladioli (5–22), Sclerotium oryzae (18–115), S. rolfsii (9–45), Septoria apii (19–100), S. petroselini (15–54), Sphaceloma perseae (5–174), Sphaecelotheca sorghi (5–18), Sphaerotheca pannosa (2–4), Spondylocladium atrovirens (60–1,791), Spongospora subterranea (19–116), Stilbum incarnatum (1–13), Stysanus stemonites (11–17), Tilletia foetans (3–5), T. laevis (4–34), T. tritici (3–7), Uromyces appendiculatus (7–9), U. caryophyllinus (4–8), Ustilago hordei (2–6), U. tritici (4–5), U. zeae (2–20), Venturia inaequalis (36–357), V. pyrina (12–72), Verticillium cinnabarina (36–243): Total of these disease interceptions 15 214 ceptions, 15,214.

INCOMPLETELY DETERMINED PESTS

INSECTS

In addition to the common pests determined to genus and species and the more important interceptions listed in the detailed table there are thousands of pests intercepted which cannot be determined to species. Many of these belong to groups containing species of considerable economic importance and may be potentially more dangerous than most of the pests in the detailed table. Since their status is unknown and cannot be determined we cannot well do more than to call attention to them briefly in an effort to give as comprehensive a view of

the interception records as is practicable.

Of the insect pests intercepted a total of 3,024 could be determined to family, subfamily, or tribe only. A total of 7,228 other lots of insect pests, determined to genus only, were distributed among 1,004 genera. The largest number of interceptions included under any one of these 1,004 genera is 434 under Parlatoria. For some genera there was a single interception. Under Ceutorhynchus sp. there are records of 159 interceptions from a total of 17 countries and associated with 14 different hosts. Under Pseudococcus sp. there are records of 178 interceptions from a total of 40 countries in practically all parts of the world and on a total of 63 hosts. Total of these insect interceptions, 10,252.

DISEASES

Partially determined plant pathogens belonged to 106 genera and totaled 7,429. For approximately 40 of these genera there was a single interception each, while there were 3,365 interceptions of Fusarium sp. and 25 or more interceptions for each of more than 20 other genera. A brief analysis of the data for two of these genera showed that *Gloeosporium* sp. was intercepted 217 times on 48 different host genera and from 37 countries, including every continent, and that *Sclerotium* sp. was intercepted 67 times on 28 host genera and from 20 countries. Total of these disease interceptions, 7,429.

The figures presented give an indication of the diversity of the interceptions

included in the undetermined groups of both insects and diseases.

Summary of interceptions by continents and subdivisions

Country	Insects	Diseases	Country	Insects	Diseases
Africa: Africa Algeria Algeria Angola Canary Islands Egypt Kenya Liberia Madeira Islands Moreceo Nyasaland Tanganyika Tunis	Number 1 3 3 2 41 1 1 2 7 1 1 1 5 5	Number 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Asia—Continued. Syria. Taiwan. Taiwan. Turkey. Australasia (including Pacific Islands): American Samoa. Australia. Ceylon. Dutch East Indies. Fiji Islands. Hawaii. Jaya.	Number 4 2 48 2 1 5 1 251 10	
Union of South Africa	1 40 1 51 219 4 2	38 0 16 0 8 96 1 0 3	New Zealand Philippines Pitcairn Island Sumatra Tahiti Europe: Austria Azores Belgium Czechoslovakia	27 1 1 2 8 12 254	2 3 0 0 0 0 2 15 1

Summary of interceptions by continents and subdivisions—Continued

Country	Insects	Diseases	Country	Insects	Diseases
Europe—Continued.	Number	Number	North America—Continued.		
Denmark	10	2	West Indies-Continued.	Number	Number
England	122	45	Dominica	3	1
Estonia	1	0	Dominican Republic	23	6
Finland	1	2	Grenada	0	1
France	82	27	Haiti	17	2
Germany	67	116	Jamaica	42	2 2 0
Greece	9	9	Montserrat	5	0
Hungary	75	1	Nevis	3	0
Ireland Isle of Man	$\frac{11}{2}$	7	Puerto Rico	37	6
	119	0 52	St. Kitts	1	0
Italy	119	0	St. Lucia	14	1
Netherlands	88	108	Tobage	0	1
Norway	5	7	Tobago Trinidad	18	4
Poland	9	4	Virgin Islands	9	0
Portugal	9	2	South America:	"	0
Rumania	ő	ĩ	Argentina	16	5
Scotland	423	í	Brazil	58	5
Spain	27	4	British Guiana.	8	ĭ
Sweden	21	5	Chile	5	17
Switzerland	7	ő	Colombia	47	6
Union of Soviet Socialist			Dutch Guiana	1	0
Republics	1	1	Ecuador	3	0
Yugoslavia	1	4	Paraguay	1	2
North America:			Peru	2	0
Bermuda	12	7	South America	1	0
Canada	2	3	Venezuela	46	4
Nova Scotia	0	2			
Central America:			Total:		
British Honduras	5	0	Africa	143	43
Canal Zone	12	0	Asia	389	131
Costa Rica	19	6	Australasia	308	16
Guatemala	81	3 0	Europe	1, 376	416
Honduras	45	0	North America	5, 246	729
Nicaragua Panama	66	0	South America Unknown origin	188 23	40
Mexico	4, 364	83	Unknown origin	23	1
Newfoundland	19	2	Total	7, 668	1, 376
West Indies	2	1	Total (common pests, p.	1,008	1, 370
American Virgin Islands	2	0	6)	30, 856	15, 214
Antigua	7	0	Total (incompletely de-	00,000	20, 214
Bahamas	22	2	termined pests, p. 7)	10, 252	7, 429
Barbados	22	ō	Total insects	48, 776	-, 220
British West Indies	4	0	Total diseases	10,110	24, 019
Cayman Islands	i	ő	Grand total		72, 795
Cuba	374	596			,

Note.—In addition to the countries named above, interceptions, including those of common pests (p. 6) and of incompletely determined pests (p. 7) were made from Arabia, Aruba, Bolivia, British Central Africa, British Columbia, British West Africa, Bulgaria, Burma, Chosen, Curaçao, Cyprus, Federated Malay States, Gibraltar, Gold Coast, Guam, Guernsey, Iran, Jersey, Juan Fernandes Island, Latvia, Lebanon, Leeward Islands, Lithuania, Luxemburg, Madagascar, Malay Peninsula, Manchuria, Mytilene Island, Moragolia, Mozambique, New Caledonia, Nigeria, Orient, St. Martin, St. Thomas (American Virgin Islands), Salvador, Senegal, and Southwest Africa.

List, by countries, of pests collected and reported from July 1, 1936, to June 30, 1937, inclusive

[All findings marked with an asterisk indicate State inspection]

		Nui		of in	p-		
Country of origin and name of pest	Host ¹	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
Insects: AFRICA Corcyra cephalonica (Pyrali- didae).	Theobroma cacao (cacao)	1					California.*
Insects: ALGERIA Parlatoria ziziphus (Coccidae) Do	Citrus limonia (lemon) Citrus sinensis (orange)				1	1 1	Maryland. Texas.

¹ The common names for the following have been omitted: Ananas sativus (pineapple), Brassica oleracea capitata (cabbage), Capsicum annuum (pepper), Lycopersicum esculentum (tomato), Saccharum officinarum (sugarcane), and Solanum tuberosum (potato). Where the same host occurs frequently the common name has been omitted part of the time. All horticultural variety names have been omitted.

List, by countries, of pests collected and reported from July1, 1936, to June 30, 1937, inclusive—Continued

						- 4	
		Nui	nber tion	of in		p-	
Country of origin and name of pest	Host	Cargo	Mail	Ваддаде	Quarters	Stores	Collected in—
AMERICAN SAMOA							
Insects: Phenacaspis samoana (Coccidae). Pseudococcus cocotis (Coccidae).	Cocos nucifera (coconut)	1					Hawaii.• Do.•
AMERICAN VIRGIN ISLANDS							
Insects: Hemichionaspis minor stracha- ni (Coccidae). Vinsonia stellifera (Coccidae).	Hibiscus sp			1			Puerto Rico.
ANGOLA Insects:							
Stephanoderes hampei (Scolytidae).	Coffea sp	3					New York.
ANTIGUA Insects:							
Asterolecanium miliaris lon- gum (Coccidae).	Anthoxanthum odoratum (sweetgrass).		1				Do.
Chrysomphalus personatus (Coccidae).	Laurus nobilis (Grecian laurel).			1			Massachusetts.
Targionia hartii (Coccidae)	Dioscorea sp. (yam)do		2	2			Do. New York.
Vinsonia stellifera (Coccidae). ARGENTINA	Laurus noonis			1			Massachusetts.
Insects: Anastrepha grandis (Trypeti-	Cucurbita pepo (pumpkin).					2	Texas.
dae). Chrysomphalus dictyospermi	Vitis sp. (grape)	1					New York.
var. (Coccidae). Chrysomphalus personatus	Citrus sinensis (orange)					1	Louisiana.
(Čoccidae). Cylas formicarius (sweetpotato weevil).	Ipomoea batatas (sweetpo-					3	Do.
Geocoris callosulus (Lygaei-	Packing around grapes	1					New York.
Geocoris sobrinus (Lygaeidae) - Heteroderes rufangulus (Ela- teridae).	Excelsior packing for grapes	1					Do. Do.
Do	Paper packing for grapes	1 1					Do. Do.
Parlatoria fluggeae brasiliensis (Coccidae).	Citrus sinensis (orange)					1	Louisiana.
Do Psychid	Vitis sp. (grape)	1				1	Massachusetts. Louisiana.
Saulaspis graphica (Chryso-melidae). Diseases:	Excelsior packing for grapes	1					New York.
Phoma echinopsidis	Echinopsis multiplex		1				District of Co-
Puccinia allii Rhizoctonia bataticola Do	Allium sativum (garlic) Cucumis melo (melon) Cucumis melo var. Cassaba	1				1	Pennsylvania. New York. Do.
Vermicularia varians	Solanum tuberosum					1	Alabama.
AUSTRALIA Insects:							
Pseudaonidia clavigera (Coccidae).	Orchid		1				California.*
Sternochetus mangiferae (man- go weevil).	Mangifera indica (mango)			1			Do.*
Diseases: Ascochyta citrullina Bacterium solanacearum	Cucurbita pepo (pumpkin). Dahlia sp					1	Virginia. District of Co-
Physalospora obtusa	Malus sylvestris (apple)					1	lumbia. New York.

List, by countries, of pests collected and reported from July 1, 1936, to June 30, 1937, inclusive—Continued

		Nur	nber tion	of in		ep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
*					<u> </u>		
Austria Insects: Anthonomus rectirostris (Curculionidae).							Alabama.
Bruchidius villosus (Bruchidae).	Laburnum alpinum (Scotch laburnum).		1				District of Co- lumbia. Do.
Do	Laburnum vulgare (golden-						Massachusetts. District of Co- lumbia.
Do	Rhus cotinus (smoketree)			1			Pennsylvania. The District of Columbia.
Palomena prasina (Pentatomidae). AZORES	Fagus sylvatica purpurea		1				Do.
Insects: Bruchus tristiculus (Bruchidae).	Lathyrus odoratus (sweet pea).		3				New York.
Ceratitis capitata (Mediterra- nean fruitfly).	Psidium guajava (guava)			1			Do.
Do	Sorbus domestica (sorbe apple).		1				Massachusetts.
Laspeyresia splendana (Ole- threutidae).	Castanea sp. (chestnut)			2			New York.
Targionia bromeliae (Coccidae).	Ananas sativus	1					Massachusetts.
	do			1		3	New York.
Ceratostomella fimbriata	tato)	ŧ.	1				Do.
Uromyces fabae	Vicia faba (fava bean)			1			Do.
BAHAMAS Insects:							
Aleurocanthus woglumi (cit- rus blackfly)	Citrus aurantifolia (lime)						Florida.*
Do	Citrus sinensis (orange) Mangifera indica (mango) Cocos nucifera (coconut)			1		1	Do.* Do.* Do.*
cidae). Do	Poinciana regia (royal			1	ì		Do.*
Aspidiotus destructor (Coccidae),	poinciana). Achras sapota (sapodilla)						
Do Do	Poinciana regia (royal			1 1 1			Florida.* New York. Do.
Coccus viridis (Coccidae)							
Do	Citrus limonia (lemon)			1		1	Do.* Do.*
Frankliniella cubensis (thrips)	do Rosa sp				1	3	South Carolina. Florida.*
Parlatoria crotonis (Coccidae) - Pectinophora gossypiella (pink bollworm).	tato). — do Rosa sp. Codiaeum sp. (croton) Gossypium sp. (cotton) (boll).			1			
Targionia sacchari (Coccidae). Toxotry pana curvicauda (papaya fruitfly).	Saccharum officinarum			2		1	Do.* Do.*
Diseases: Colletotrichum falcatum	Saccharum officinarum			2			Do.*
BARBADOS							
Insects: Aspidiotus destructor (Coccidae).	Persea americana (avocado)		1				New York.
Asterolecanium miliaris (Coccidae).	Bamboo		1				Do.
Asterolecanium miliaris lon- gum (Coccidae).	Palm		1				Do.
yum (Coccidae).							

	1					
	Nur	mber tion	of in	terce	p-	
Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
						New York, Pennsylvania.
laurel).		1				Do.
Cassia fistula (golden-shower).		1				New York.
Dioscorea sp. (yam)			2 3			Massachusetts. Do. New York. Do.
Laurus nobilis (Grecian laurel).			1			Do.
Allium porrum (leek)					3	New York.
Cichorium intybus (witloof).	33			*		Do.
Azalea sp	1					District of Co- lumbia. Alabama.
Soil on azalea root	1					District of Co-
Vicia sp. (vetch)	1					lumbia. Alabama.
Cymbidium sp. (orchid)	210					District of Co- lumbia. New York.
loof). Brassica oleracea capitata					1	Do.
(Romaine lettuce).					1	Do.
Daucus carota (carrot)do					1 2	Pennsylvania. Texas. New York.
Vitis sp. (grape)	1				1	Alabama. New York.
Spinacia oleracea (spinach) - Allium satirum (garlic) Cichorium intubus (wit-					1	Do. Pennsylvania. New York.
loof). Azalea sp	1					District of Co-
Sinningia sp. (gloxinia)	1					lumbia. Do.
Eriobotrya ja ponica (loquat)			1			New York. Do.
Euphorbia pulcherrima				1		Do.
Amutanam sp		*				Do.
Lilium sp		1	1			Do. Do. Massachusetts. Do.
			1			New York.
Codiaeum sp. (croton) Agare sp			1			Do. Do.
	Citrus sinensis (orange) Laurus nobilis (Grecian laurel). Cassia fistula (golden-shower). Colocasia esculenta (taro). Dioscorea sp. (yam). Laurus nobilis (Grecian laurel). Allium porrum (leek). Cichorium intybus (witloof). Azalea sp. Vicia sp. (vetch). Soil on azalea root. Vicia sp. (vetch). Cymbidium sp. (orchid). Cichorium intybus (witloof). Brassica oleracea capitata. Lactuca sativa longifolia (Romaine lettuce). Daucus carota (carrot). do. Spinacia oleracea (spinach) Solanum tuberosum. Vitis sp. (grape). Spinacia oleracea (spinach) Allium sativum (garlic). Cichorium intybus (witloof). Azalea sp. Sinningia sp. (gloxinia) Eriobotrya japonica (loquat). do. Euphorbia pulcherrima (poinsettia). Antirrhinum sp. Freesia sp. Lilium sp. Freesia sp. Codiaeum sp. (croton) Nerium oleander (oleander) Codiaeum sp. (croton)	Citrus sinensis (orange) Laurus nobilis (Grecian laurel)do	Citrus sinensis (orange)	Citrus sinensis (orange)	Citrus sinensis (orange)	Citrus sinensis (orange)

		1					
		Nur	nber tion	of in		ep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
BERMUDA—Continued							
Diseases: Aphelenchoides parietinus Fusicladium eriobotryae	Solanum tuberosum Eriobotrya japonica (loquat).	1	1	1			New York. Do.
Gloeosporium oleandri Pestalozzia palmarum Pratylenchus pratensis	Nerium oleander	1		2 1 			Do. Do. Do.
BRAZIL Insects: Anastrepha sp. (Trypetidae) - Do	Citrus grandis (grapefruit)					1 2	Louisiana. Do.
Aspidiotus destructor (Coccidae). Asterolecanium a ure um (Coccidae).	Cattleya sp. (orchid)	1			1		New York. District of Co- lumbia.
Callosobruchus phaseoli (Bruchidae). • Castnia sp. (Castnidae) Ceratitis capitata (Mediterra-	Oncidium sp. (orchid) Citrus grandis (grapefruit) _					2	Do. Do. Louisiana.
nean fruitfly). Do	Citrus sinensis (orange)do		1)	1	1	Do. Do.
Euscepes batatae (West Indian sweetpotato weevil)	Ipomoea batatas (sweet-potato).				2	3 2	Alabama. New York.
Gymnandrosoma aurantianum (Olethreutidae). Gymnandrosoma sp. (Ole-	Citrus sinensisdo	{		i	1	1	Louisiana. Do.
threutidae). Lophocateres pusillus (Siamese grain beetle).	Oryza sativa (paddy rice)				1		New York.
Do	Tragopogon porrifolius (vegetable-oyster). Phaseolus sp. (string bean).		1			1	District of Co- lumbia. New York.
Mordellistena cattleyana (Mordellidae). Morganella longispina	Carica papaya (papaya)	1				1	District of Co- lumbia. New York.
(Coccidae). Pachymerus n u c l e o r u m (Bruchidae). Pachymerus olearius (Bruchi-	Orbignya speciosa (babassu nut). Attalea excelsa	2					California.* New York.
dae). Parlatoria fluggeae brasiliensis (Coccidae).	Citrus sinensis (orange)		1			2	Alabama. District of Co-
Do	do			1	1	1 2	lumbia. Louisiana. Maryland.
Do Do Do	do do				 1	1 1 2 2 2	Massachusetts. New York. Pennsylvania.
Do	Gossypium sp. (cotton-seed).		1	1	2		Texas. California.* District of Co-
Do	cotton).		1 1	1			lumbia. New York. District of Co- lumbia.
Do Pseudaonidia trilobitiformis (Coccidae).	Hibiscus manihot (sunset hibiscus). Citrus limonia (lemon)	2				1	New York. Alabama.
Do	Coffea sp				1	<u>1</u>	Louisiana. Pennsylvania. New York.
Stenomid Tineid	Oncidium sp. (orchid)	1					New York. District of Co- lumbia.

List, by countries, of pests collected and reported from July 1, 1936, to June 30, 1937, inclusive—Continued

		Nur	mber tion	of ir	nterc	ep-	
Country of origin and name of pest	Host	Cargo	Mail	Ваккаке	Quarters	Stores	Collected in—
Brazil-Continued							
Diseases: Ceratostomella fimbriata	Ipomoea batatas (sweet-potato).					1	New York.
Hemileia oncidii	Oncidium sp. (orchid)	1					District of Co- lumbia.
Do	Orchid	1				1 	Do. Pennsylvania. District of Co- lumbia.
British GUIANA Insects:							
Aspidiotus de structor (Coccidae).	Nipa fruticans	}	1				Puerto Rico.
Asterolecanium aureum (Coccidae). Callosobruchus chinensis	Angraecum eburneum (orchid). Bean		1				District of Co- lumbia. Do.
(Bruchidae). Furcaspis biformis (Coccidae).	Cattleya labiata (orchid)		1				Do.
Do	Cattleya mossiae (orchid) Epidendrum osmanthum		1 1				Do. Do.
	(orchid).						
Do	Schomburgkia lyonsi (or-chid).		1				Do.
Palaeopus costicollis (yam weevil). Diseases:	Ipomoea batatas (sweetpo-tato).	•••				1	Massachusett
Ceratostomella fimbriata	do					1	Do.
BRITISH HONDURAS							
Insects: Metamasius sericeus (silky	Banana debris	4					Louisiana.
cane weevil). Stenoma catenifer (avocado seed moth).	Persea americana (avocado)			1			Do.
BRITISH WEST INDIES							
Insects:	(adi						NT XT 1
Lepidosaphes lasianthi (Coccidae). Pseudaonidia trilobitiformis	Codiaeum sp. (croton) Citrus grandis (grapefruit).		- 1	1		1	New York. Washington.
(Coccidae). Do	Citrus sinensis (orange) Cinnamomum zeylanicum			i	1		Alabama. New York.
CANADA	(cinnamon).						
Insects: Pyrausta nubilalis (European corn borer).	Zea mays (corn)	1					Michigan.
Taeniothrips simplex (gladio- lus thrips).	Gladiolus sp	1					California.*
Diseases: Chrysomyxa piperianaVermicularia liliacearum	Rhododendron sp Iris sp			1			Washington. District of Co-
Verticillium albo-atrum	Dahlia sp	1					lumbia. New York.
CANAL ZONE							
Insects: Aspidiotus destructor (Coccidae).	Cocos nucifera (coconut)	1					District of Co- lumbia.
Do	Pyrenoglyphis major (beach palm).		1		1		New York. Louisiana.
Asterolecanium urichi (Coccidae).	do				1		Do.
Chrysomphalus dictyospermi var. (Coccidae). Chrysomphalus personatus (Coccidae).	Ravenala madagascariensis (travelers-tree). Anacardium ercelsum	1		1			District of Co- lumbia. Do.

List, by countries, of pests collected and reported from July 1, 1936, to June 30, 1937, inclusive—Continued

		Nur	nber tion	of in	terce	p-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
CANAL ZONE—Continued							
Insects—Continued. Chrysomphalus umboniferus (Coccidae).	Cattleya sp. (orchid)	1					New York.
Eurytoma orchidearum (cat- tleya fly).	do	1					Do.
Furcaspis biformis (Coccidae) - Do	Orchiddo	1				 1	Do. Puerto Rico. Virginia.
chani (Coccidae). Pseudaonidia fossor (Coccidae)	Ficus ehretioides		1				District of Co-
CANARY ISLANDS							
Insects: Chrysomphalus dictyospermi var. (Coccidae).	Citrus sinensis (orange)					1	Puerto Rico.
Targionia bromeliae (Coccidae). Diseases:	Ananas sativus					1	New York.
Ascochyta lycopersici	Lycopersicum esculentum					2	Do.
CAYMAN ISLANDS Insects: Cylas formicarius (sweetpotato weevil).	Ipomoca batatas (sweetpotato).					1	Florida.*
CEYLON Insects:							
Parlatoria ziziphus (Coccidae) Diseases:	Citrus grandis (pomelo) Citrus aurantifolia (lime)					1	Pennsylvania. Do.
Bacterium citri Do Strigula complanata	Citrus grandis (pomelo) Undetermined plant			1		1	Do. California.•
CHILE Insects:							
Leptoglossus chilensis (Coreidae). Tortricid	Vitis sp. (grape)	1 4					New York. Do.
Diseases:	rina (nectarine).						
Aphelenchoides parietinus Rhizoctonia bataticola Do	Solanum tuberosum Cucumis melo (melon) Cucumis melo var. (Honey	13 2				1	Florida.* New York. Do.
Uromyces betae	Dew melon). Beta vulgaris (beet)					1	Do.
CHINA Insects:	Contain to the stant						District of C
Aspidiotus cryptoxanthus (Coccidae). Aspidiotus subcuticularis	Castanea sp. (chestnut) Citrus grandis (pomelo)					1	District of Co- lumbia. California.*
(Coccidae). Callosobruchus chinensis	Bean			1			Hawaii.*
(Bruchidae). Chilo simplex (Asiatic rice borer).	Oryza sativa (rice)			1			New York.
Do	Rhapis humilis (reed rhapis).	1	1				Texas. California.*
Chionaspis yanonensis (Coccidae).	Citrus grandis (pomelo)		1				New York.
Chrysomphalus dictyospermi var. (Coccidae).	Excelored recomped (poorl-		1	1		1	Washington.
Coplosoma cribrarium (Pen- tatomidae). Cytas formicarius (sweet-	Exochorda racemosa (pearlbush). Ipomoea batatas (sweetpo-					1	Do. Do.
potato weevil). Formosaspis formosanus (Coc-	tato). Bamboo	2			1		New York.
cidae). Nysius ericae obscuratus (Lygaeidae).	Eleocharis tuberosa (waternut).	1					Do.

		Num	nber tion	of in	terce		
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
CHINA—Continued	1		-				
Insects—Continued. Parlatoria ziziphus (Coccidae)	Citrus grandis (pomelo)	2 .				13	California.*
Do	Citrus grandis (pomelo)dodododododododododododo			4 3		1	Maryland. Washington. Do.
Pseudaonidia duplex (cam- phor scale). Pseudaonidia trilobitiformis	Citrus grandis (pomelo)	1					Do. Do.
(Coccidae). Pseudococcus kraunhiae (Coccidae).	Litchi chinensis (lychee)					1	Hawaii.*
Diseases: Anguina tritici	Triticum aestivum (wheat).						District of Co-
Aphelenchoides parietinus Bacterium citri Phoma citricarpa	Colocasia esculenta (taro) Citrus sinensis (orange) Citrus aurantium (sour			4			Washington. Do. Do.
Do	orange). Citrus nobilis deliciosa (tangerine).				1		California.*
Do Do Phyllosticta japonica	gerine). Citrus sinensis	3		₁ -			New York. Washington. Do.
Puccinia atropuncta	Oryza sativa (paddy rice) Veratrum maximowiczii			i			District of Co- lumbia.
Puccinia mitriformis	Bamboo		1			••••	California.
Insects: Anastrepha sp. (Trypetidae)	Chrysophyllum cainito (star-apple).					1	New York.
Antillocoris delineata (Lygaeidae). Aspidiotus destructor (Coccidae.	Cattleya sp. (orchid)		- 1			1	District of Co- lumbia. Maryland.
Do Asterolecanium aureum (Coccidae).	Orchid						New York. District of Co-
Eurycipitia splendens (Miridae). Frankliniella cephalica (thrips)	Cattleya sp. (orchid) Rosa sp.			- 1			Do. Florida.*
Funcaspis bifor mis (Coccidae)_ Do	Orchid	1 .					California.* District of Co- lumbia.
Heterotermes tenvis (termite) - Metamasius hemipterus (West Indian cane weevil).	Banana debris						Do. Maryland.
Metamasius sericeus carbona- rius (Curculionidae). Mordellistena sp. (Mordelli-	Cattleya trianae (orchid)		- 1				South Carolina. California.*
dae). Do	Orchid			- 1			District of Co-
Nasutitermes cornigera (termite).	Cattleya sp. (orchid)	1 .					lumbia. Do.
mite). Noctuid	Cattleya schroederae (or- chid) Cattleya trianae (orchid)		- 1			- 1	California.*
Do	Orchid	1 _					Do.* District of Co- lumbia.
Phatnoma varians (Tingiti- dae). Psychid	Cattleya schroederae (or- chid). Orchid	1 -					California.* District of Co- lumbia.
Sacadodes pyralis (South American bollworm). Tenthecoris bicolor (Miridae)	Gossypium sp. (cotton-seed). Orchid			2			New York. District of Co-
Tineid	Cuttleya gigas (orchid) Cattleya trianae (orchid)	1 -					lumbia. Cailfornia.* Do.*
D ₀	Orchid	13 -					District of Co- lumbia. Do.

List, by countries, of pests collected and reported from July 1, 1936, to June 30, 1937, inclusive—Continued

		Nur	nber tion	of in	terce	p-	
Country of origin and name of pest	Host		Mail	Baggage	Quarters	Stores	Collected in—
COLOMBIA—Continued							
Diseases: Cercospora bloxami	Brassica rapa (white tur-					1	New York.
Colletotrichum orchidearum	nip). Cattleya trianae (orchid) Cattleya sp. (orchid)	1 2					California.* District of Co-
DoPhysalospora cattleyae (?)	Orchid	1 1					lumbia. Do. California.*
COSTA RICA Insects:							
Anaphothrips orchidaceus (thrips).	Zygopetalum sp		1				District of Co- lumbia.
Anastrepha sp. (Trypetidae) Aspidiotus diffinis (Coccidae)	Mangifera indica (mango)_ Cocos nu cifera (coconut)	1				1	New York. District of Co-
Bephrata cubensis (soursop chalcid).	Annona cherimola (cherimoya).					1	lumbia. New York.
Chrysomphalus personatus (Coccidae). Furcas pis biformis (Coccidae).	Mangifera indica Oncidium sp. (orchid)		1		1		California.* District of Co-
Macrosiphum luteum (aphid).	Orchid	1					lumbia. Do. New York.
Metamasius dimidiatipennis var. (Curculionidae). Metamasius sericeus (silky cane weevil).	Ananas sativus	1 2					New York. Louisiana.
cane weevil). Do Do	Banana debris	3					Do. California.*
Do	do	ī					Maryland.
Metamasius submaculatus (Curculionidae). Ozophora pallescens (Lygae-	Musa sp	1					Washington. Louisiana.
idae). Stenoma anonella (Stenomidae).	Annona muricata (sour-sop).					2	New York.
Diseases: Colletotrichum orchidearum	Cattlena skinneri (orchid)		1				California.*
Gleosporium affini	Cattleya skinneri (orchid)		1				Do.* Do.*
Gloeosporium cattleyae Gloeosporium oncidii Macrophoma oncidii	Cattleya dowiana (orchid) Cattleya skinneri (orchid) Cattleya dowiana (orchid) Oncidium stenotes (orchid) Cattleya dowiana (orchid)		1 1 1				Do.* Do.* Do.*
CUBA	Carrey was a rate (Orema)		1				100.
Insects: Acanthoscelides xanthopus (Bruchidae).	Cassia didymobotrya		1				District of Co- lumbia.
Aeolus pulchellus (Elateridae) Aleurocanthus woglumi (citrus blackfly).	Ananas sativus Citrus aurantifolia (lime)	1 2					Louisiana. New York.
Aleurodicus cardini (whitefly). Anastrepha sp. (Trypetidae). Apion macula-alba (Curcu-	Psidium guajara (guava) Mangifera indica (mango) . Ananas sativus	1		1	1		Florida.* Do.* Louisiana.
lionidae). Aspidiotus destructor (Cocci-	Amygdalus communis (al-			2			Florida.*
dae). Do	mond). Annona squamosa (sugarapple).			1			Do.*
Do	Chrysalidocarpus lutescens (yellow palm). Cocos nucifera (coconut)			1 2			District of Co- lumbia. Florida.*
Do	Mangifera indica (mango)			1	1	1	Maryland. Florida.* Do.*
Do	Musa paradisiaca (plantain).	1 2					Do.*
Do	Musa sp. Palm Psidium guajara (guaya)	2		1			Louisiana. Florida.*
Aspidiotus spinosus (Coccidae).	Mammea americana (mamey).]		10			Do.*

List, by countries, of pests collected and reported from July 1, 1936, to June 30, 1937, inclusive—Continued

	inclusive—Continu	uea					
		Nur	nber tion	of in	terce	p-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
CUBA-Continued							
Insects—Continued. Bephrata cubensis (soursop chalcid). Do	Annona cherimola (cheri- moya). Annona muricata (sour-			1	1		Florida.* Maryland.
Blissus insularis (Lygaeidae)_ Bruchus luteicornis (Bruchi-	sop). Ananas sativus Vicia angustifolia	1 1					New York. Do.
dae). Coccotrypes thrinacis (Scolytidae).	Euterpe glcbosa (palm)		1				District of Co- lumbia.
Coccus tiridis (Coccidae) Do Do	Citrus aurantifolia (lime) do Gardenia florida (Cape-jas-	1 2		33	9		Florida.* New York. Florida.*
Collabismodes cubae (Curculionidae).	mine). Capsicum annuum	1					Louisiana.
Conoderus bifoveatus (Elater-dae).	Ananas sativus	1					Do.
Crocidosema plebeiana (Ole- threutidae). Do	Hibiscus esculentus (okra)	1 3					Do. New York.
Cylas formicarius (sweetpo- tato weevil).	Ipomoea batatas (sweetpo-					16	Alabama.
Dicaiothrips angusticeps (thrips). Ephestia sp. (Pyralididae)	Ananás sativus	33				2	Louisiana.
Do Euscepes batatae (West Indian	Ipomoea batatas (sweetpo-	28				1	New York. Alabama.
sweeti otato weevil). Frankliniella cephalica (thrips).	tato). Rosa sp			1	1		Florida.
Frankliniella cephalica mela- nommata (thrips).	do			1	1		Do.*
Frankliniella cubensis (thrips) Do Do	Chrysanthemum sp Dahlia sp Lathyrus odoratus (sweet			2	1		Do.* Do.* Do.*
DoGnorimoschema gudmannella	pea). Rosa sp Capsicum annuum	1		5	1		Do.* New York.
(Gelechiidae). Gnorimoschema lycopersicella (tomato pinworm).	Lycopersicum esculentum	1					Louisiana.
Do	Annona muricata (sour-sop).	1				1	New York. Do.
Do	Citrus aurantifolia (lime) Cucurbita pepo (pumpkin) Camellia japonica (camel-	1		1		1	Do. Do. Florida.*
dae). Marmara sp. (Gracilariidae) Do	lia). Citrus grandis (grapefruit).	1				<u>-</u> -	Louisiana. Virginia.
Maruca testulalis (bean pod borer). Do	Phaseolus lunatus macro- carpus (lima bean). Phaseolus sp. (string bean).	139					New York. Do.
Megacerus tricolor (Bru- chidae). Metachroma suffriani (Chry-	Seed of a vine	1	1				District of Co- lumbia. Louisiana.
somelidae). Metamasius sericeus (silky cane weevil).	do	3					Do.
Do	Musa sp	, 1					Virginia. New York.
Pectinophora gossypiella (pink	Gossypium sp. (cotton)			1			Do.
bollworm). Pseudococcus boninsis (Coccidae).	(boll). Saccharum officinarum			1			Florida.*
Selenothrips rubrocinctus (red- banded thrips).	Rosa sp			1			Do.*
Systena basalis (Chrysomelidae).	Brassica chinensis (white greens).	1					New York.

List, by countries, of pests collected and reported from July 1, 1936, to June 30, 1937, inclusive—Continued

	THE CONTIN						
Country of criain and name of		Nur	nber tion	of in	terce	p-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
Cuba-Continued	-						
Insects—Continued.							
Targionia bromeliae (Coccidae).	Ananas sativus						Florida.*
Do	do	7		i .	ł	f :	Louisiana. New York.
Do	Dioscorea sp. (yam) Saccharum officinarum			1 2			Do. Florida.•
Tetrabothynus spectabilis (Cur-	Ananas sativus	1					Virginia. Louisiana.
culionidae). Xyleborus affinis (Scolytidae).	Ipomoca batatas (sweetpo-					1	Maryland.
Diseases: Albugo bliti	Amaranthus sp	;;-				1	New York.
Ceratostomella fimbriata Cercospora capsici	Xanthosoma sp. (malanga) Capsicum annuum						Do. Louisiana.
Cercospora nicotianae	Nicotiana tabacum (to- bacco).	2					New York.
Cladosporium vignae Colletotrichum falcatum	Vigna sinensis (cowpea) Saccharum officinarum	1	1				Florida.* Do.*
Colletotrichum truncatum	carpus (lima bean).					1	Louisiana.
Do Diaporthe batatatis	Ipomoca batatas (sweetpo-	16	1				New York. Alabama.
Elsinoe phaseoli	Phaseolus lunatus macro-						New York.
DoErysiphe cichoracearum	Dahlia an					1	Puerto Rico. Florida.*
Fusarium cepae Helminthosporium curvulum (?).	Carpusdo					1	Texas. New York,
Helminthosporium torulosum_	Musa paradisiaca (plan- tain).	1					Do.
Phomopsis capsici Phyllosticta divergens	Capsicum annuum	1					Do. Do.
Rotylenchus bradys	Albizzia lebbeck (lebbek) Dioscorea alata (?) (winged yam).						Alabama.
Insects: Baris lepidii (Curculionidae)		2					New York.
Bruchus brachialis (Bru-	radish). Vicia sp. (vetch)	1					Do.
chidae). Callidium violaceum (Cerambycidae).	Pinus sp. (pine)	2					Do.
Haplothrips aculeatus (thrips) - Hylurgops palliatus (Scoly-	Dianthus sp. (carnation) Pinus sp. (pine)	3					Do. Do.
tidae). Pityogenes chalcographus (Sco-	do	1					Do.
lytidae). Polygraphus polygraphus (Scolytidae).	do	1					Do.
Diseases: Uromyces trifolii	Trifolium sp	1					Do.
DENMARK Insects:							
Ceutorhunchus pleurostiama	Brassica rapa (turnip)dodo					2	Do.
D0	1 (10	1				1	Pennsylvania. Virginia.
Mikiola fagi (Cecidomyiidae). Psylliodes chrysocephala (Chrysomelidae).	Fagus sp. (beech) Brassica oleracea capitata				1	1	New York. Do.
Do	Brassica rapa					1	Do.
Ditylenchus dipsaci Urocystis occulta	Solanum tuberosum					1	Texas. Maryland.
DOMINICA Insects: Coccus viridis (Coccidae)	Citrus aurantifolia (lime)	3					New York.
Diseases:	Dioscorea sp. (yam)					1	Massachusetts

List, by countries, of pests collected and reported from July 1, 1936, to June 30, 1937, inclusive—Continued

	thetasive—Contin	ueu					
		Nu	mber tio	of in		ep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
DOMINICAN REPUBLIC							
Insects: Anastrepha mombin praeoptans (Trypetidae).	lavapple).	1	1	1	1		
Anastrepha suspensa (Trypet- idae).	Psidium gunjava (guava)	1	1	1			Do.
Asterolecanium aureum (Coccidae).	Brassia caudata (orchid)						District of Co- lumbia.
Do	Epidendrum sp. (orchid) Orchid Cattleya mantinii-nobilior	1	1				Do. Do. Do.
Do	(orchid). Oncidium carthaginense						Puerto Rico.
Hemichionaspis minor stracha-	(orchid). Hibiscus sp					}	District of Co-
ni (Coccidae). Marmara sp. (Gracilariidae).	Citrus grandis (grapefruit).				1		lumbia. Texas.
Mordellistena sp. (Mordellidae).	Epidendrum bifidum (or- chid).		1				District of Co- lumbia. California.*
Pseudoparlatoria ostreata (Coccidae).	Epidendrum sp. (orchid) Carica papaya (papaya)	1					New York.
Do	Epidendrum christi (or-				1		District of Co- lumbia.
Selenothrips rubrocinctus (red- banded thrips). Vinsonia stellifera (Coccidae).	Eugenia malaccensis (Malayapple). Cattleya forbesi (orchid)	1	1				New York. California.*
Do	Cattleya forbesi (orchid) Epidendrum sp. (orchid)						District of Co-
Do	Eugenia malaccensis Lycaste costata (orchid)		2	1			New York. District of Co-
Do Do	Lycaste sp. (orchid) Orchid Xylobium pallidiflorum		1 1 1 1				lumbia. Do. Do. Do.
Diseases: Ceratostomella fimbriata Colletotrichum lujae (?) Colletotrichum orchidearum	Xanthosoma sp. (malanga)_ Lycaste sp. (orchid) Orchid	1					New York. California.* District of Co-
Gloeosporium intermedium epidendri.	Epidendrum sp. (orchid)						lumbia. California.*
Phoma musae (?) Physalospora orchidearum	Musa sp	1	1				Florida.* California.*
DUTCH EAST INDIES							
Insects: Parlateria ziziphus (Coccidae) Stephanoderes hampei (coffee berry borer).	Citrus limonia (lemon) Coffea sp		1			2	Pennsylvania. Illinois.
Diseases:	do	ł.					New York.
Bacterium citri Mycosphaerella oryzae	Oryza sativa (paddy rice)	1				1	Massachusetts. New York.
DUTCH GUIANA Insects: Pectinophora gossypiella (pink bollworm).	Gossypium sp. (cottonseed)			1			Louisiana.
Insects:							
Metamasius sericeus (silky cane weevil).	Banana debris	1					Washington.
Stenoma sp. (Stenomidae)	Persea americana (avoca-					1	Pennsylvania.
DoEGYPT	do					1	Washington.
Insects: Bruchidius incarnatus (Bruchidae).	Lens esculenta (lentil)	1					New York.
Bruchus lentis (Bruchidae) Parlatoria ziziphus (Coccidae) Pectinophora gossypiella (pink bollworm).	do	37	1			1 	Do. Maryland. New York.

List, by countries, of pests collected and reported from July 1, 1936, to June 30, 1937, inclusive—Continued

	THE COLUMN							
		Nur	nber tion	of in		p-		
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—	
a		Ü	M	B	5	St		
England							-	
Insects: Aleyrodes azaleae (whitefly)	Azalea sp		1				District of Co-	
Apion carduorum (Curculionidae).	Cynara scolymus (globe artichoke).					1	lumbia. New York.	
Aspidiotus destructor (Coccidae).	Phoenix sp. (palm)						Do.	
Athous haemorrhoidalis (Elateridae).	Soil around miscellaneous plants.			. 1			Do.	
Bruchus affinis (Bruchidae)	Lathyrus grandiflorus (ever-		1			45	Michigan.	
Ceutorhynchus pleurostigma (turnip gall weevil)	lasting pea). Brassica rapa (turnip)				1	2	Louisiana.	
Do	dododododo					1	Maryland. Massachusetts.	
Do	do					5	New York.	
Do	do					5	Pennsylvania. Texas.	
Coccotrypes rolliniae (Scolyti-	Phoenix reclinata (Senegal		,1				District of Co-	
dae). Curculio nucum (Curculionidae).	Corylus avellana (filbert)		1				lumbia. California.*	
Curculio venosus (Curculionidae).	Quercus sp. (acorn)				i		Illinois.	
Do Emphytus cinctus (sawfly) Epipolaeus caliginosus (Cur-	Rosa chinensis manetti Humulus sp. (hop)	1 1					Maryland. New York. District of Co-	
culionidae). Eriophyes macrorhynchus (gall mite).	Acer sp. (maple)						lumbia. New York.	
Helophorus rugosus (turnip mud beetle).	Raphanus sativus (radish)					1	Do.	
Helophorus sp. (Hydrophilidae).	Brassica oleracea gemmifera (brussels sprouts).						Do	
Do	Raphanus sativus (radish)_ Cattleya bertheuana (or- chid).	1					Do. District of Co- lumbia.	
Do	Hippeastrum sp Fraxinus sp. (ash)	1	1				Do. Louisiana.	
dae). Do	Cymbidium sp. (orchid)	14 11					New York. District of Co-	
cidae). Limothrips denticornis (thrips)	Iris orientalis		1				lumbia Do.	
Limothrips vaneecki (thrips)	Lilium monadelphum (Caucasian lily).		1				Do.	
Do	Lilium sp. (lily)		1	ļ.			New York. District of Co- lumbia.	
Myzus ornatus (aphid)	Azalea sp				2	2	New York.	
Do	Calluna vulgaris (heather)				1		Do.	
Do			ì	3			California.*	
Do	Chrysanthemum sp				4		District of Co- lumbia. Massachusetts.	
Do	do				9		New York.	
Do	Codiaeum sp. (croton)				1		Do. Mossochusetta	
Do	Euonymus sp				1 1		Massachusetts. New York.	
	do d						District of Co- lumbia.	
Do	Myosotis sp. (forget-me- not).		1				New York. Do.	
Do	Nasturtium officinale (watercress).					1		
Do	Ricinus sp	1			2		Do. District of Co-	
Neuroterus quercus-baccarum	Quercus sp. (oak)			1			lumbia. New York.	
(Cynipidae). Parallelodiplosis cattleyae (Cattleya midge).	Cattleya gigas sanderiana (orchid).		1				Hawaii.*	

		Nui	mber tion	of in	terce	ep-		
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—	
ENGLAND—Continued	100							
Insects—Continued.								
Perrisia oenophila (Cecidomy-	. Vitis sp. (grape)					2	New York.	
iidae). Philophylla heraclei (celery	Apium graveolens (celery).					. 1	Pennsylvania.	
fly). Do	Petroselinum hortense					3	New York.	
Psyllia peregrina (Chermidae)	(parsley). Crataegus sp. (hawthorn)		1				Massachusetts.	
Psylliodes chrysocephala (Chrysomelidae).	Brassica rapa (turnip)					1	Louisiana.	
Do	do					1 3	Maryland. New York.	
Sericothrips staphylinus (thrips).	Viola sp. (violet)			1			Do.	
Steingelia gorodetskia (Coccidae).	Packing material for Aster cordifolius.		1				Hawaii.*	
Taeniothrips atratus (thrips)	Calluna vulgaris (heather)		1				Maryland.	
Taeniothrips ericae (thrips) Thrips angusticeps (thrips)	Centaurea cyanus (corn-					1	Pennsylvania. New York.	
. Do	flower). Lactuca sativa longifolia					2	Do.	
Thrips flavus (thrips)	Lactuca sativa longifolia (Romaine lettuce). Chrysanthemum sp.				3	<u>-</u> -	Do.	
Thrips fuscipennis (thrips) Do	Myosotis sp. (forget-me-					1	Do. Do.	
Thrips paludivagus (thrips)	not). Rosa sp				1		Do	
Thrips validus (thrips)	(Romaine lettuce).					1	Do.	
Trypetid	Petroselinum hortense (parsley).					1	Do.	
Diseases: Alternaria dianthi	Dianthus sp	1	1				District of Co-	
Aphelenchoides parietinus	Lilium sp. (lily)						lumhia	
Do	Narcissus sp.		2				New York. District of Co- lumbia.	
A phelenchus ovenae Botrytis allii	Lilium sp. (lily)	1					New York. Virginia.	
Botratis narcissicola Ceratostomella fimbriata	Lilium sp. (lily)		1				California.* New York.	
Do	do					2	Texas.	
Do	Cymbidium sp. (orchid) Laeliocattleya barbarica XL.	1					California.* Do. *	
Do	areca (orchid). Odontioda sp. (orchid). Odontoglossum lidle y	1					Do.*	
Do	(orchid)						Do.*	
Conjos porium shiraianum Coryneum microstictum	Bamboo Rosa sp		1	1			New York. District of Co-	
Ditylenchus dipsaci	Iris xiphioides (English						lumbia. Do.	
Do	iris). <i>Iris</i> sp	1	2				Do.	
Do	Narcissus spdo	1 1					Do. New York.	
Gloeosporium concentricum	Solanum tuberosum Brassica oleracea botrytis					1	Texas. Pennsylvania.	
Do	(cauliflower). Brassica oleracea capitata					1	Massachusetts.	
Gloeosporium pruinosum	Veronica sp	1					District of Co- lumbia.	
Gloeosporium sansevieriae Hemileia oncidii	Sansevieria sp Oncidium varicosum roger-	1			1		New York. District of Co-	
	sii (orchid). Galax aphylla (galax)					1	lumbia.	
Laestadia galactina (?)	Rosa sp.		1				New York. District of Co- lumbia.	
Puccinia absinthii	Artemisia dracunculus (tar- ragon).					1	New York.	
Rhytisma acerinum	Acer pseudoplatanus (syca-					1	Do.	
Septoria chrysanthemella	Chrysanthemum sp				1		Do.	

List, by countries, of pests collected and reported from July 1, 1936, to June 30, 1937, inclusive—Continued

		Nur	nber tion	of in	terce	p-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
ENGLAND—Continued							
Diseases-Continued.							
Septoria primulae	Primula polyantha (polyanthus primrose).			1			Virginia.
Tubercularia vulgaris Vermicularia herbarum	Clematis sp		1				District of Co-
Estonia	Diaminus sp		1				Do.
Insects: Semanotus undatus (Cerambycidae).	Pine slat	1					New York.
FIJI ISLANDS Insects:							
Lepidosaphes auriculata (Coccidae).	Codiaeum sp. (croton)			1			Hawaii.*
Insects:							
Semanctus undatus (Cerambycidae). Diseases:	Pine wood	1					New York.
Aphelenchoides parietinus Lophodermium pinastri	Beta vulgaris (beet) Pinus sylvestris (Scotch pine).			1		1	Virginia. New York.
Insects:	482						The
Acrolepia assectella (Plutel- lidae).	Allium porrum (leek)				1	2	Do.
Altica ampelophaga (Chryso- melidae). Anaphothrips obscurus (thrips)	Lactuca sativa (lettuce) Petroselinum hortense					1	Do. Do.
Apion pomonae (Curculioni-	(parsley). Vicia sp. (vetch)		1				Louisians.
dae).							Pennsylvania.
Apion rufirostre (Curculioni-	Malva sp. (mallow)		1				New York.
Aspidiotus zonatus (Coccidae)	Quercus sp		1				District of Co- lumbia.
Baris chlorizans (Curculionidae).	Brassica rapa (turnip)		1			1	Texas.
Bruchidius halodendri (Bruchidae). Bruchidius lividimanus (Bru-	Halimodendron hal oden- dron. Cytisus battandieri						District of Co- lumbia. Do.
chidae). Bruchidius villosus (Bruchi-	Cytisus scoparius andreana.		1				Do.
dae). Do	Spartium junceum (weavers-broom).		2				Do.
Bruchus brachialis (hairy-vetch bruchid).	Vicia sp. (vetch)	1					Louisiana.
Bruchus luteicornis (Bruchi-	Vicia angustifolia	1					Do.
Do	Vicia sp. (vetch) Brassica rapa (turnip)	1 13				7	New York. Louisiana. New York.
Chrysomphalus dictyospermi	Citrus nobilis deliciosa			1			Do.
var. (Ĉoccidae). Corymbites impressus (Elater-	(tangerine). Cynara scolymus (globe					1	Do.
idae). Dacus oleae (olive fruitfly) Eysarcoris inconspicuus (Pentatomidae).	artichoke). Olea europaea (olive) Cichorium intybus (chic-			3		1	Do. Do.
Frankliniella intonsa (thrips)	ory). Petroselinum hortense (parsley).					1	Do.
Frankliniella pallida (thrips)_ Heliothrips haemorrhoidalis form abdominalis (thrips).	Lactuca sativa (lettuce)			1		1	Do. Maryland.
Helophorus rugosus (turnip mud bectle).	Brassica rapa (turnip)					3	New York.
Limothrips denticornis (thrips)	Allium cepa (onion)	J		I	١	1	Do.

inclusive—Continued									
		Nui	nber tio	of in	terce	ep-			
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—		
FRANCE-Continued									
Insects—Continued. Megastigmus aculeatus (Callimomidae). Myzus ornatus (aphid)	Rosa sp Brassica oleracea botrytis		l l	1		1	District of Co- lumbia. New York.		
Phyllotreta nemorum (Chry-	(cauliflower). Raphanus sativus (radish).	1				1	Do.		
somelidae). Phyllotreta nigripes (Chrysomelidae).	Cynara scolymus (globe artichoke).					1	Do.		
Psylliodes chrysocephala (Chrysomelidae).	Brassica rapa (turnip)					10	Do.		
Rhinoncus pericarpius (Curculionidae). Sitona humeralis (Curculioni-	Artemisia dracunculus (tar- ragon).					1	Do. Do.		
dae). Sitona lineata (Curculionidae)	Lilium sp. (lily) Petroselinum hortense (pars-				i i	1	Do.		
Taeniothrips atratus (thrips)	ley). Daucus carota (carrot)					1	Do.		
Do Targionia vitis (Coccidae)	Petroselinum hortense (pars- ley) Quercus sp					1	Do. District of Co-		
Thrips angusticeps (thrips)	Cichorium intybus (witloof)					2	lumbia. New York.		
Ďo	Cynara scolymus (globe artichoke). Lactuca sativa (lettuce)					1 2	Do.		
Do Do	Lactuca sativa longifolia					1	Do.		
Thrips flavus (thrips)	Cynara scolymus (globe artichoke).	- -				1	Do.		
Thrips fuscipennis (thrips) Tropistethus holosericeus (Ly-	Petroselinum hortense (pars- ley). Rosa sp		1			1	Do. Pennsylvania.		
gaeidae). Diseases:	nosa sp.		1				Temisyivania.		
Albugo tragopogonis	Tragopogon porrifolius (salsify).					2	New York.		
Ceratostomella fimbriata Colletotrichum orchidearum	Daucus carota (carrot) Phalaenopsis sp. (orchid)	1				1	Georgia. District of Columbia.		
Coryneum microstictum Cumminsiella sanguinea	Rosa sp	1	1				Do. Do.		
Dinemasporium graminum Ditylenchus dipsaci Exobasidium vaccinii	Grass	1 4					New York.		
Leptosphaeria culmicola	Azalea indica (indica azalea). Triticum aestivum (wheat).			1			Do. Do.		
Leptosphaeria heterospora	Iris sp		1				District of Co- lumbia.		
Microdiplodia diervillae Mycosphaerella schoenoprasi	Diervilla sp. (bush honey-suckle).		1			1	Do.		
Peronospora valerianellae	Allium porrum (leek) Valerianella locusta olitoria (cornsalad).					1	Pennsylvania. New York.		
Puccinia absinthii	Artemisia absinthium (wormwood).		1				Do.		
Puccinia allii Ramularia cynarae	Allium porrum Cynara scolymus (globe artichoke).					1	Do. Do.		
Sclerotinia laxa Uromyces fabae Vermicularia liliacearum	Prunus domestica (plum) Vicia sp. (vetch) Iris sp	2	1			1	Do. Do. District of Co-		
FRENCH INDO-CHINA							lumbia.		
Insects: Pseudaonidia trilobitiformis (Coccidae).	Citrus grandis (pomelo)					1	Pennsylvania.		
GERMANY Insects:									
Acalypta parvula (Tingitidae) Aleyrodes azaleae (whitefly)	Soil around gladiolus bulb. Azalea sp			1			New York. Do.		

List, by countries, of pests collected and reported from July 1, 1936, to June 30, 1937, inclusive—Continued

	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,						
		Nur	nber tion	of in	terce	p-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
GERMANY—Continued							
Insects—Continued. Anthaxia quadripunctata (Bu-	Pine wood	1					New York.
prestidae). Apion carduorum (Curculi-	Cynara scolymus (globe						Do.
onidae). Aspidiotus destructor (Cocci-	artichoke). Dracaena sp				1		Do.
dae). Brachyrhinus scaber (Curcu-	Leontopodium sp. (edel-						Do.
lionidae).	weiss). Soil around gladiolus bulb.			1			Do.
Bruchidius villosus (Bruchidae). Do	(Scotch laburnum).		1				District of Co- lumbia.
Do	Laburnum sp		2				Do.
Bruchus brachialis (hairy-vetch bruchid).	ish broom). Vicia villosa (hairy vetch).						Do.
Do	Vicia sp. (vetch)						lumbia
Do	do	1					Maryland. New York.
Do Bruchus tristiculus (Bruchi-	do.	1					Pennsylvania. Washington.
Ceratitis capitata (Mediter-	pea). Pyrus communis (pear)						
ranean fruitfly). Ceutorhynchus pleurostigma	Brassica campestris (ruta- baga).					1	Do.
(turnip gall weevil).	Brassica rapa (turnip)					1	Do.
Chrysomphalus personatus (Coccidae). Dryocoetes autographus (Sco-	Pine wood	1					Do. Do.
lytidae). Ernobius abietis (Anobiidae)							
Do	Picea sp. (spruce)do		1				Pennsylvania. Do. New York.
(thrips).			i .	i	1		Do.
Do Hebrus pusillus (Hebridae)	Brassica oleracea capitata. Moss used as packing for lily pips.		1	1		1	Louisiana.
Laspeyresia strobilella (Ole- threutidae). Do	Picea ercelsa (Norway		1				New York.
Do Do	spruce)do Picea sp. (spruce)do			7			Pennsylvania. New York. Maryland.
idae). Lepidosaphes lasianthi (Cocci-	Codiaeum sp. (croton)						New York.
dae). Leucaspis loewi (Coccidae) Leucaspis sulcii (Coccidae) Limothrips denticornis (thrips)	Pinus sp. (pine)		1				California.* New York.
Megastigmus suspectus (Cal-	Pinus sp. (pine)do		1		1		Pennsylvania. Illinois.
limomidae). Micrelus ericae (Curculionidae).	Calluna vulgaris (heather).						Pennsylvania.
Myzus ornatus (aphid)							District of Co- lumbia.
Do	Radicula armoracia (horse- radish). Brassica rapa (turnip)					3	New York.
Psylliodes chrysocephala (Chrysomelidae). Taeniothrips atratus (thrips)	Calluna vu/garis		1				Pennsylvania.
Do	Gladiolus sp Calluna vulgaris		3		1		Do. New York.
Do	do		1		1		Pennsylvania.
Thrips flavus (thrips)	Rosa sp		1				Do.
Thrips fuscipennis (thrips) Thrips paludivagus (thrips)	do		2	1 1			New York. Do.
Vinsonia stellifera (Coccidae).	Palm				1		Do.

List, by countries, of pests collected and reported from July 1, 1936, to June 30, 1937, inclusive—Continued

	inclusive—Contin	uea					
Country of origin and name of pest	Host	Cargo	Mail	Ваддаде	Quarters	Stores	Collected in—
GERMANY—Continued							
Diseases: Aphelenchoides parietinus Aphelenchus avenae	Convallaria majalis (lily- of-the-valley). Trifolium sp. (clover)						New York.
Ascochyta conorum	Picea excelsa (Norway			1			Do. Alabama.
Cumminsiella sanguinea	Daucus carota (carrot) Mahonia aquifolium (Oregon hollygrape).				1		New York.
Diplodina salicis	Saliz sp. (willow) Allium cepa (onion) Colchicum sp Convallaria majalis (lily-	1					Do. Alabama. District of Columbia. New York.
Do	of-the-valley). Helenium sp		1				District of Co-
Do					1		lumbia. Louisiana. Massachusetts.
DoDo	do Brassica oleracea capitata					9	Pennsylvania. Texas. Maryland. New York.
Macrophoma candollei Melampsora pinitorqua Monilia fructigena Pratylenchus pratensis		25		1		1	Do. Pennsylvania. New York.
Puccinia allii Sclerotinia fructigena Sclerotinia taxa	Allium porrum (leek) Malus sylvestris	1		3		6	Do. Do. Do.
Do	Allium porrum (leek) Malus sylvestris do O Pyrus communis (pear) Pinus sp. (pine) Chrysanthemum sp. Colchicum sp.	1	1	1	5		Do. Do. Do. District of Co- lumbia.
Verticillium albo-atrum Volutella buxi	Beta vulgaris (beet)						Louisiana. New York.
GREECE Insects:							
Bruchus ervi (Bruchidae) Callirhytis glandium (Cynipi-	In box of seeds including sweet peas. Quercus sp. (valonia)						Pennsylvania. New York.
dae). Ceratitis capitata (Mediter-	Cydonia oblonga (quince)						Do.
ranean fruitfly). Do	Pyrus communis (pear) Castanea sp. (chestnut)			2			Massachusetts. New York.
Parlatoria oleae (Coccidae) Do	Malus sylvestris (apple) Pyrus communis (pear)						Do. Do.
Diseases: Bacterium savastanoi. Puccinia mayorii. Sclerotium cepirorum. Uromyces fabae.	Olea europaea (olive) Sideritis theczans	6	1				Do. Do. Do. Do.
GRENADA Diseases: Pratylenchus pratensis				1			Do.
GUATEMALA Insects: Anastrepha ludens (Mexican fruitfly).	Achras sapota (sapodilla)			1			Pennsylvania.
Do	Citrus sinensis (orange)			1		1	Louisana. Florida.*
Antillocoris delineata (Lygaeidae).	Mangifera indica (mango) _ Odontoglossum grande (or- chid).	1				1	South Carolina. California.*
Antillocoris picturata (Lygaeidae).	Cattleya skinneri (orchid)	1					Do.*

List, by countries, of pests collected and reported from July 1, 1936, to June 30, 1937, inclusive—Continued

		Nun	ber tion	of int	terce -	р-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
GUATEMALA—Continued							
Insects—Continued.							
Antillocoris picturata (Ly-	Oncidium splendidum (or-	1					California.*
gaeidae). Aphetea inconspicua (Mem-	chid). Lycaste skinneri (orchid)	1					Do.*
bracidae). Asterolecanium aureum (Coc-	Epidendrum sp. (orchid)	1					Do.*
cidae). Bephrata cubensis (soursop chalcid).	Annona muricata (soursop)			1			Pennsylvania.
chalcid). Chrysomphalus alienus (Coc-	Cattleya skinneri (orchid)	1					California.*
cidae). Conotrachelus sp. (Curculion-	Persea americana (avoca-			1			Do.*
idae). Cosmopolites sp. (Curculion-	do). Musa sp. (banana)				1		Alabama.
idae). Eurycipitia vestitus (Miridae)	Oncidium cavendishianum	1					California.*
Macrosiphum luteum (aphid)	(orchid). Lycaste skinneri (orchid)	1					Do.*
Do	Oncidium sphacelatum (or-	1					Do.*
Do Metamasius sericeus (silky	doBanana debris	1 8					Hawaii.* Alabama.
cane weevil).	do	23					Louisiana.
Do	do	3					Maryland. South Carolina.
Do	Musa sp. (banana) Banana debris	1 9					Alabama.
Metamasius sericeus carbona- rius (Curculionidae).							Louisiana.
Do	Musa sp. (banana)	3					South Carolina. Alabama.
Mordellistena sp. (Mordelli-dae).	Orchid			1			California.*
Parmenonta valida (Ceram- bycidae).	Oncidium splendidum (or- chid).	1					Do.*
Physonota citrinella (Chryso-melidae).	Oncidium cavendishianum (orchid).	1					Do.*
Pseudoparlatoria ostreata (Coccidae).	Cattleya bowringiana (or- chid).	1					Do.*
Do	Laelia superbiens (orchid) Oncidium splendidum (or-	1	1				Hawaii.* California.*
Diseases:	chid).						
Colletotrichum orchidearum	Cattleya sp. (orchid)	1					District of Co- lumbia.
Phyllosticta stanhopeae Pleospora neottiae	Orchiddo			1			California.* Do.*
Наіті							
Insects: Anastrepha mombin praeop-	Mangifera indica (mango)_					1	Puerto Rico.
Anastrepha sp. (Trypetidae)	do			4		2	New York.
Aspidiotus destructor (Coccidae).	Cocos nucifera (coconut)			1			Do.
Callosobruchus chinensis (Bru- chidae).	Cajanus indicus (pigeon- pea).	1					Do.
Collabismedes cubae (Curculionidae).	Capsicum annuum	1	2				Do.
Hemichionaspis minor stra- chani (Coccidae).	Annona muricata (soursop)						Do.
Do	Poinciana regia (royal poinciana).			1		1	Do.
Pseudaonidia irilobitiformis (Coccidae).	Mangifera indica					. 1	Maryland.
Targionia sacchari (Coccidae)	Saccharum officinarum				1		Florida.* New York.
Diseases: Cercospora nicotianae	Nicotiana tabacum (tobac-					. 1	Do.
Colletotrichum falcatum	Saccharum officinarum		1		1	l	Florida.*

List, by countries, of pests collected and reported from July 1, 1936, to June 30, 1937, inclusive—Continued

		Nur	mber tion	of ir	terce	p-		
Country of origin and name of pest	Host			аде	ers		Collected in-	
		Cargo	Mail	Ваккаке	Quarters	Stores		
HAWAII								
Insects: Caryedon fuscus (Bruchidae).	Cassia fistula (golden-show-		1				California.*	
Do	Cassia grandis (pink-show-er).			1			Do.*	
Do	Erythrina monosperma Seed pod		1	<u>-</u> -			Do.* Do.*	
Ceratitis capitata (Mediter- ranean fruitfly).	Coffea arabica (Arabian coffee).			î			Do.*	
D0	Coffee sp			3	-		Do.*	
Do Ceroplastes rubens (Coccidae)_	Coffea sp			3	1		Do.* Do.*	
Coccus viridis (Coccidae)	Gardenia florida (Cape- jasmine).			31	4		Do.*	
Dacus cucurbitae (melonfly)	Phaseolus sp. (string bean)- Sphagnum moss packing with soil around palm	1				2	Do.* Do.*	
Dialeurodes kirkaldyi (white-	trees. Gardenia florida (Cape-jas-			3	1		D ₀ .*	
fly). Ereunetis flavistriata (sugar-	mine). Ananas sativus	5		1			Do.*	
Do Ereunctis minuscula (Tinei-	Cocos nucifera (coconut) Ananas sativus	4					Do.* Do.*	
dae). Lampides baetica (Lycaenidae) Do	Canavalia sp Calctropis gigantea			8			Do.* Do.*	
Do	Flower lei Cadiaeum sp. (croton)		<u>-</u> -	1 5	1		Do.* Do.*	
cidae). Lepidosaphes lasianthi (Coccidae).	do			1			Do.*	
Do	do			1 10			Washington. California.*	
Maruca testulalis (bean pod	Canaralia sp						Do.*	
Do	Dioclea violacea (Mauna- loa).						Do.*	
Do	Flower leis Phaseolus sp. (string bean)-			2	1	1	Do.* Do.*	
Parlatoria crotonis (Coccidae) Parlatoria mytilaspiformis	Codiaeum sp. (croton)			1			Do *	
(Coccidae). Pseudaonidia clavigera (Cocci-	Hibiscus sp						Do.*	
dae). Pseudonnidia tesserata (Coccidae).	do			3			Do.*	
Pseudococcus kraunhiae (Coccidae).	Cereus sp. (cactus)						Do.*	
Do	Codiaeum sp. (croton) Gardenia florida (Cape-jas-			8	5		Do.* Do.*	
Ripersia palmarum (Coccidae).	mine). Cocos nucifera (coconut)				4		Do.*	
Do Sterno hetus mangiferae (man-	Palm	1			4		Do.* Do.*	
go weevil). Taeniothrips hawaiiensis	Calotropis gigantea			5	1		Do.*	
(thrips). Do	Cassia alata (ringworm cassia).			1			Do.*	
Do	Dianthus sp. (carnation)			20	1		Do.*	
Do	Flower leisGardenia florida (Cape-jas-			5	1		Do.* Do.*	
Do	mine). Jasminum sambax (Arabian jasmine).	1					Do.*	
Do	Plumeria acutifolia (Mexican frangipani).	1		1			Do.*	
Do	Tagetes sp. (marigold) Zingiber mioga			2			Do.* Do.*	
Do	Zingiber officinale (ginger).	1					Do.*	

List, by countries, of pests collected and reported from July 1, 1936, to June 30, 1937, inclusive—Continued

		Nur	mber tion	of in	terce	p-	
Country of origin and name of	TT4		1				Callented in
pest	Host	_		Ваggage	ers	20	Collected in—
		rgc	Mail	88	art	Stores	
		Cargo	M	Ba	Quarters	Sto	
					_		
HAWAH-Continued							
Insects—Continued.				-			
Taeniothrips simplex (gladio- lus thrips).	Dianthus sp. (carnation)			1			California.*
Do	Flower leis			1			Do.*
Do Diseases:	Gladiolus sp			3			Do.*
Uromyces alyxiae	Alyxia olivaeformis			2			Do.*
Do	Leaf leis			1			Do.*
Honduras							
Insects: Anastrepha ludens (Mexican	Manaifora indica (manao)			1			New York.
fruitfly).	Mangifera indica (mango).			1			New Tork.
Anastrepha sp. (Trypetidae).	Chrysophyllum cainito(star-	1					Alabama.
Do	apple). Eugenia jambos (rose-apple).				1		Louisiana.
Aspidiotus destructor (Cocci-	Cocos nucifera (coconut)	1			1		Do.
dae). Hemichionaspis minor stra-	do				1		Pennsylvania.
chani (Coccidae). Marmara sp. (Gracilariidae)	Theobroma cacao (cacao)				1		Louisiana.
Metamasius sericeus (silky	Banana debris	7	1				Alabama.
cane weevil).	do	7					Louisiana.
Do	do	2					Maryland.
Do	do	1					Massachusetts.
Do	do	5 7					South Carolina. Texas.
Do Do	Musa sp. (banana)	í					Alabama.
Do	Banana debris	1					Maryland.
Metamasius sericeus carbona- rius (Curculionidae).	Banana debris	1					Alabama.
Do	do	3					Louisiana.
Stenoma catenifer (avocado	Persea americana (avocado)	2				1	Texas. South Carolina.
seed moth).	(4.004						
Hungary							
Insects brachialis (hairy-	Visia sating (applied not sh)	1					Manuland
vetch bruchid).	Vicia sativa (spring vetch).	1					Maryland.
Do	Vicia villosa (hairy vetch).	3 2				1	Alabama. Florida.*
Do Do	do	3					Georgia.
Do	do	1					Louisiana.
Do	do	5	1				Maryland. New York.
Do	do	8 5					Virginia.
Do	Vicia sp. (vetch)	ĭ					Alabama.
Do	do		4				District of Co-
Do	do	1					Louisiana.
D0	00	4	2				Maryland.
Do	do	1 5	6				Massachusetts. New York.
Do	do	4					Pennsylvania.
Do	do	3					South Carolina.
Do	Vicia grandiflora	3					Virginia. Maryland.
dae). Bruchus tristiculus (Bruchi-	Vicia sp. (vetch)	1					Alabama.
dae).		1					
Chlorochroa juniperina (Pentatomidae).	Juniperus sp		1				New York.
Parlatoria olege (Coccidae)	Pyrus communis (pear)			1			Do.
Pyrausta nubilalis (European	Holcus sorghum var. (broomcorn).	7					Do.
corn borer). Sitona inops (Curculionidae).	Panicum miliaceum (mil-		1				Maryland.
Diseases:	let).						
Phragmidium disciflorum	Rosa sp			1			New York

	inclusive—Contin	uea					
		Nui	nber tion	of in	terce	p-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
India							
Insects: Aphanus sordidus (Lygaeidae) Aspidiotus destructor (Cocci-	Oryza sativa (rice)			1			New York. Do.
dae). Aspidiotus excisus (Coccidae).	Cypripedium suavessimum		1			1 63	
Bruchus dentipes (Bruchidae)	(orchid). Vicia faba (fava bean)			ł			District of Co-
Bruchus emarginatus (Bru-	Pisum sativum (pea)	9	1				lumbia.
chidae).	Pisum sativum arvense						Do.
Do	Pisum sp Phaseolus aureus (mung		1				Do.
chidae).	bean.)						
Do	Vigna sesquipedalis (asparagus-bean). Vigna sinensis (cowpea)		2				
Callosobruchus chinensis (Bruchidae).	Cajanus sp		1				
Do	Lens esculenta (lentil) Phaseolus aureus (mung		1				Do. California.*
Do	bean).						District of Co-
Do	Pisum sativum (pea)						lumbia. New York.
Do	Soja max (soybean)						District of Co- lumbia.
Do	Vigna cylindrica Vigna sinensis (cowpea) Dolichos lablab (lablab)		2				Do.
Callosobruchus phaseoli (Bruchidae).			1				_
Callosobruchus theobromae (Bruchidae).	Pisum sativum (pea) Cajanus indicus (pigeon pea) Soja max (soybean)						Do.
Caryedon fuscus (Bruchidae)	pea). Soja max (soybean)		1			 1	Do. Illinois.
Do	Bauhinia tomentosa (St.		1			1	District of Co-
Do	Cussia Jistaia (golden-		1				lumbia. Do.
Do	shower). Terminalia arjuna		1				Do.
Ceroplastes rubens (Coccidae). Cylas formicarius (sweetpotato weevil).	Palm						Alabama. New York.
(Bruchidae).	Ipomoea purpurea (morning-glory). Wood						District of Co- lumbia.
Heterobostrychus aequalis (Bostrichidae),							California.*
Do	Allium sativum (garlic)	1				1	New York. Virginia.
Minthea rugicollis (Lyctidae).	Unknown wood in pack- ing boxes.	1					New York.
Parlatoria blanchardi (Parlatoria date scale).	Palm fiber of basket						Do.
Parlatoria cinerea (Coccidae). Psylliodes chrysocephala	Citrus aurantifolia (lime) Brassica rapa (turnip)					1	Do. Pennsylvania.
(Chrysomelidae). Sinoxylon conigerum (Bostrichidae).	Wood	1					California.*
Diseases: Anguina tritici	Triticum aestivum (wheat).	6	1				District of Co-
Tilletia horrida	Oryza sativa (rice)		1				lumbia. Washington.
Insects:							
Berytus geniculatus (Neididae).	Trifolium repens var. (shamrock).		1				New York.
Emphytus cinctus (sawfly)	Rosa chinensis manettido	1 1					Pennsylvania. Pennsylvania.
Do	do		1				District of Co- lumbia.
							тишита.

List, by countries, of pests collected and reported from July 1, 1936, to June 30, 1937, inclusive—Continued

		Nur	nber tion	of in		p-		
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—	
IRELAND—Continued								
Insects—Continued. Megopthalmus scanicus ((Cicadellidae). Do	Trifolium repens var. (shamrock).		1 2				Maryland.	
Orthezia cataphracta (Coccidae).	Grevillea juniperina		ĩ				District of Co-	
Taeniothrips atratus (thrips) Thrips flavus (thrips) Thrips fuscipennis (thrips)	Dianthus sp. (carnation)dodo			1 1 1			Massachusetts. Do. Do.	
Diseases: Phyllachora trifolii	Trifolium repens var.		1				New York.	
Pseudopeziza medicaginis Pseudopeziza trifolii Sclerctinia laxa	do		1	 1			Do. Pennsylvania. New York.	
ISLE OF MAN Insects:								
Lochmaea suturalis (Chryso-melidae).	Calluna vulgaris (heather)			1			Do.	
Myzus ornatus (aphid)	Debris around heather plant.			1			Do.	
ITALY Insects: Aleurolobus marlatti (white-	Citrus sp. (leaf)			1			Do.	
fly). Aleyrodes brassicae (whitefly) Do	Beta vulgaris cicla (chard) Brassica oleracea capitata Cynara scolymus (globe artichoke).					1 3 3	Do. Do.	
Apion carduorum (Curculionidae). Brachycerus albidentatus (Curculionidae).	artichoke). Allium sativum (garlic)					2	Do. Massachusetts.	
Bruchidius villosus (Bruchidae). Bruchus lentis (Bruchidae)	Laburnum alpinum (Scotch laburnum). Lens esculenta (lentil)		2				District of Co- lumbia. Do.	
Do	do		1				New York. District of Co- lumbia.	
Do	Bean		1				New York. Do.	
Bruchus tristis (Bruchidae)	Vicia sp. (vetch)		1				District of Co-	
Cacoecia podana (Tortricidae) - Ceratitis capitata (Mediter- ranean fruitfly).	Malus sylvestris (apple) Citrus no bilis deliciosa (tangerine).		1	1			Pennsylvania. New York.	
Do Do			1	1 1 1		1	Do. Do. Do	
Ceroplastes rusci (Coccidae)_ Ceroplastes sinensis (Coc- cidae).	tangerines. Ficus carica (fig) Citrus sp			1			Do. Do.	
Chrysomphalus dictyospermi var. (Coccidae).	Camellia japonica (camel-				1		Louisiana.	
Do Do Do	Citrus limonia (lemon)					1 1 1	Maryland. New York. Washington.	
Do	Citrus sinensis (orange)		1			1	Michigan. Pennsylvania.	
Do	Laurus nobilis (Grecian laurel).		2				Texas. New York.	
Do	Rosa sp			1	2		Do.	
Frankliniella intonsa (thrips)	carole).					1	Do. Do.	
Gnorimoschema ocellatella (Gracilariidae).	Beta vulgaris cicla (Swiss chard).				1	1	D0.	

		Nur	nber tion	of in as in-	p-	Collected in—	
Country of origin and name of pest	Host		Mail	Baggage	Quarters		
ITALY—Continued							
Insects—Continued. Laspeyresia splendana (Ole- threutidae).	Castanea sp. (chestnut)		1				California.*
D0	do	3		4			Maryland. New York.
Do	dodo						Pennsylvania. New York. Do.
Parlatoria oleae (Coccidae) Do Do	Malus sylvestris (apple)			1 2		1 1	Massachusetts. New York. Do.
Do Parlatoria camelliae (Coc- cidae).	Sorbus sp. (sorbe apple) Camellia japonica (camel-	1		î 			Do. District of Co- lumbja.
Parlatoria ziziphus (Cocci-	Citrus limonia (lemon)						New York. California.*
dae). Do Do	do					2 7 3	Louisiana. Maryland,
1)0	dodo	1			1	1 1	Pennsylvania. Texas. Virginia.
	gerine).						Massachusetts. Pennsylvania.
Do	do					1	Alabama. Pennsylvania. Texas.
Philophylla heraclei (celery fly). Pieris brassicae (Pieridae)	Apium graveolens (celery) Brassica oleracea botrytis					1	New York. Do.
Pseudaonidia paeoniae (Coc-	broccoli). Camellia japonica (camel-						District of Co-
cidae). Psylliodes chrysocephala (Chrysomelidae). Do	lia). Brassica oleracea botrytis (cauliflower).						lumbia. New York.
	Brassica oleracea italica (white-sprouting broccoli)						Do.
Pyausta nubilalis (European corn borer).	Capsicum annuumdo						Do. Pennsylvania.
Do	Holcus sorghum var. (broomcorn). Zea mays (corn)						New York. Do.
Sesamia cretica (durra stem borer). Sitona humeralis (Curculioni-	Holcus sorghum var Lactuca sativa (lettuce)	1					Do. Do.
dae) Taeniothrips croceicollis	Agave sp						Do.
(thrips). Thrips angusticeps (thrips)	artichoke).						Do.
Do	Lactuca sativa longifolia					1 2	Do. Do.
Thrips nigropilosus (thrips) Do	Cichorium intybus (chicory)					1	Do. Do.
Trichius zonatus (Scarabaeidae). Trypetid	Juglans sp. (walnut) Cynara scolymus (globe	1				1	Do.
Diseases:	artichoke).					Î	
Alternaria dianthiAsochyta lycopersici	Dianthus sp. (carnation) Solanum melongena (egg-plant).			1		<u>-</u> -	Do. Do.
Botrytis vulgaris Cercospora foeniculi	Castanea sp. (chestnut) Foeniculum vulgare (fennel).	1				3	Do. Do.

List, by countries, of pests collected and reported from July 1, 1936, to June 30, 1937, inclusive—Continued

		Nu	nber tion	of in			
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
ITALY—Continued							
Diseases—Continued. Diplodiella goetheana	Chamaerops humulis (hair	1					New York.
Exosporium palmivorum	palm). Phoenix dactylifera (date)			1	1		Do.
Do Fusicladium eriobotryae	Eriobotrya japonica (lo-					<u>-</u> -	Do. Do.
Gloeosporium apiosporium	quat). Arctostaphylos uvae-ursi		1				Do.
Gloeosporium melongenae	(bearberry). Solanum melongena (egg- plant).					1	Do.
Leptosphaeria heterospora	Iris sp						District of Co-
Leptosphaeria tritici	Triticum aestivum (wheat)_ Beta vulgaris cicla (Swiss					1	Maryland. New York.
Oidium euonymi-japonici	aroon huming hugh)						Do.
Do	Euonymus japonica varie-						Do.
Do Phyllosticta ruscicola	Euganamaia an	1			1		Do. Do.
Pratylenchus pratensis	Ruscus sp. do Solanum tuberosum_	7				1 3	Pennsylvania. Do. Do.
Puccinia allii Sclerotinia lara Sclerotium allii	Allium sativum (garlic) Malus sylvestris (apple) Allium sativum (garlic) Allium cepa (onion)					1 1	Do. Massachusetts.
Sclerotium cepivorum.	Allium cepa (onion)					1 1	New York. Virginia.
Septoria anthrisci	Anthriscus cerefolium (salad. chervil).	7		1			New York.
Do	do Chrysanthemum sp. Citrus limonia (lemon) do Agave sp Beta vulgaris cicla (Swiss				1	1 1	Pennsylvania. New York. Louisiana.
DoStagoncspora macrospora Uromyces betae	Agave sp. Beta vulgaris cicla (Swiss	1				3	New York. Do. Do.
Uromyces fabae Vermicularia liliacearum	chard). Vicia faba (fava bean) Iris sp					1	Do. District of Co- lumbia.
JAMAICA Insects:							iumbia.
Aleurocanthus woglumi (citrus blackfly).	Citrus limetta (sweet lime)_						New York.
Anastrepha sp. (Trypetidae)	Mangifera indica (mango) -			$\frac{2}{-\frac{1}{2}}$		₁ -	Florida.* Louisiana.
Do	Annona muricata (sour- sop).					1	New York. Florida.*
Caryedon fuscus ((Bruchidae)	Tamarindus indica (tama- rind).						New York.
Chrysomphalus dictyospermi var. (Coccidae).	Mangifera indica (mango).						Do.
Coccus viridis (Coccidae) Do	Coffee sp			2 2		3	Do. Florida.* Louisiana.
dian sweetpotato weevil). Frankliniella cephalica mela-	Ipomoea batatas (sweet- potato). Mixed bouquet						
nommata (thrips). Furcaspis biformis (Coccidae).	Phajus sp. (orchid)	1					District of Co-
Hemichienaspis minor stra- chani (Coccidae).	Annora reticulata (custardapple).			1			New York.
Lepidosaphes lasianthi (Coccidae).	Codiaeum sp. (croton)			3			Do. Do.
Palaeopus costicollis (yam weevil). Parlatoria crotonis (Coccidae).	Dioscorea sp. (yam)			1	9		Do.
Pseudischnaspis bowreyi (Coccidae).	Agave sp				1		Do.
Silvanus vulgaris (Cucujidae).	Attalea cohune (cohune palm).	1					Do.

		Number of intercep- tions in—						
Country of origin and name of pest	Host	Cargo	Mail	Ваддадо	Quarters	Stores	Collected in—	
JAMAICA—Continued								
Insects—Continued.								
Targionia hartii (Coccidae)	Dioscorea sp. (yam)			3			New York. Do.	
Vinsonia stellifera (Coccidae)	Broughtonia sanguinea (or-						District of Co- lumbia.	
Do	Epidendrum fragrans (or-	1					Do.	
Do	Phajus grandifolius (or-chid).	1					Do.	
Diseases: Pratylenchus prateneis Rotylenchus bradys	Dioscorea sp. (yam)			1			New York. Do.	
JAPAN								
Insects: Aleurolobus marlatti (white-fly).	Citrus nobilis deliciosa (tangerine).			1			Washington.	
Anthonomus rectirostris (Cur-	Citrus sinensis (orange) Prunus lannesiana (hitoye	1		1			Do. Do.	
Antonina bambusae (Cocci-	cherry). Bamboo			1			California.*	
dae). Aspidiotus degeneratus (Coccidae).	Camellia japonica (camel-	1					Do.•	
Do	Aucuba japonica (Japanese		1		1		District of Co- lumbia. Washington.	
cidae). Do	aucuba). Aucuba sp. Pueraria thunbergiana	ł			2		California.*	
Callosobruchus ademptus (Bruchidae). Ceroplastes rubens (Coccidae).	Pueraria thunbergiana (kudzu). Camellia japonica (camel-		1				Do.* District of Co-	
Do	lia). Citrus nobilis deliciosa (tan-					1	lumbia. Maryland.	
Do	gerine). Citrus sinensis (orange)					1	Washington.	
Do	Euonymus sp Fateia japonica (fatsia)				1		Do. Louisiana.	
Do	Pittosporum sp Oryza sativa (rice)		2	4	2		Washington. California.*	
Do	do	1	2				Hawaii.* Louisiana.	
Do	do	3					Maryland.	
Do	do	3		7			New York. Washington.	
Do	Packing material for flowering cherry.			i			Do.	
(hionaspis yanonensis (Coccidae).	Citrus aurantium (sour orange).						Maryland.	
Do	Citrus grandis (grapefruit) : Citrus nobilis deliciosa (mandarin orange).			2		1	California.* Washington.	
Do	Citrus nobilis deliciosa (tan-				1	2 4	California.* Do.*	
DoChrysomphalus dictyospermi	gerine). Citrus sinensis (orange)do Aspidistra sp	2		1			Washington. Maryland.	
var. (Coccidae). Do Do	do				1		New York.	
Do	Buxus sp. (box) Fatsia japonica (fatsia)				1		Washington. Louisiana.	
Coccus pseudomagnoliarum	Ilex sp. (holly)				2		Washington. California.*	
Do	Citrus aurantifolia (lime)					1	Do.*	
Do	Pinus sp (dwari nine)				1 1		Do.* Pennsylvania. Maryland.	
Fiorinia theae (Coccidae)	Cephalotaxus sp	1					Washington.	

		Number of intercep- tions in—			p-			
Country of origin and name of pest	HOST	Cargo	Mail	Baggage	Quarters	Stores	Collected in—	
JAPAN—Continued								
Insects—Continued. Frankliniella formosae	Brassica chinensis (Chi-					1	Maryland.	
(thrips). Homoeogryllus japonicus(Gryl-	nese cabbage). In cage				1		California.*	
lidae). Laspeyresia splendana (Ole-	Castanea sp. (chestnut)						Do.*	
threutidae). Lepidosaphes camelliae (Coc-	Camellia japonica (camel-						Do.*	
cidae). Do	lia), do <i>Diospyros</i> sp.(persimmon)_	1	1				Washington.	
Lepidosaphes conchiformis (Coccidae). Do.						1 1	California.* Massachusetts.	
	Diospyros kaki (Japanese persimmon).				9	1		
Do	persimmon). Euonymus sp. Diospyros sp. Euonymus alatus subtri-		1				Washington. California.* District of Co-	
Do	Prunus glandulosa (flow-						lumbia. Maryland.	
Maruca testulalis (bean pod	ering almond). Phaseolus sp. (string bean).					1 -	Washington.	
borer). Megastigmus cryptomeriae	Cryptomeria japonica (cryptomeria).		1				Illinois.	
(Callimomidae). Morganella longispina (Coccidae).	(cryptomeria). Camellia japonica (camellia).	1					Washington.	
Parlatoria camelliae (Coc-	do		2				District of Co-	
Do	dodododododododo.	7	2	1			Washington. California.*	
Do	Euonymus sp	1			2		Washington.	
1 Irlatoria ziziphus (Coccidae)	Citrus grandis (grapefruit)			1	1		California.* Pennsylvania.	
Poliaspis pini (Coccidae)	Pinus sp. (dwarf pine)				1		Maryland. Pennsylvania. California.*	
Popillia japonica (Japanese beetle).	Soil				1		Alabama.	
Pseudaonidia duplex (camphor scale).	Acer sp	1					Washington.	
Do	Citrus aurantium (sour orange).					3	Maryland.	
Do	do					2	New York. Pennsylvania. New York.	
Do	Citrus grandis (grapefruit) -					1	Pennsylvania.	
Do Do	dodododododododo			1		2	Washington. California.*	
Do	Citrus nobilis deliciosa (mandarin orange)dodododo deliciosa (tangerine).		1				Michigan.	
Do	dodo	4				2 2	Oregon. Washington. California.*	
Do	(tangerine).			1		2	Maryland.	
10	L(10	l	1	l		1 1	New York. Pennsylvania.	
Do	Citrus nobilis unshiu (Satsuma orange).					1	California.*	
Do	Citrus sinensis (orange)			1	<u>-</u> -	14	Washington. California.*	
Do	do					1	Louisiana.	
Do	do					5	Maryland.	
Do	do					5	New York.	
D0	do					1 3	Oregon. Pennsylvania.	
Do	do	4		6		5	Washington.	
Do	Citrus sinensis junos (Jap-					2	Maryland.	
	anese orange).					1	Pennsylvania.	
Do	Citrus sp					1	Maryland.	

	inclusive—Continued							
		Nur	nber tion	of in				
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—	
JAPAN—Continued					_			
Insects—Continued. Pseudaonidia duplex (cam-	Citrus sp					1	Oregon.	
phor scale). Do Do	Codiaeum sp. (croton) Diospyros sp. (persimmon) _ Azalea sp				l .		Louisiana. California.*	
Pseudaonidia paeoniae (Coccidae). Do							Do.* Hawaii.*	
Do	do Camellia japonica (camel- lia). dodo	1					California.*	
Do	Rhododendron indicum Diospyros sp. (persimmon)						District of Co. lumbia. California.*	
Do	Diospyros sp. (persimmon) Citrus limonia (lemon)						Do.* Do.*	
cidae). Psychid Do	4b						Washington.	
Do	Aucuoa sp. Cedrus sp. (cedar) Fatsia japonica (fatsia) Magnolia sp. Prunus sp. (flowering cherry).	2			1		Do. Do.	
Do	cherry). Zea mays (corn)			1			Do.	
corn borer). Tortricid Do							Hawaii.* Washington.	
Do Do Vesiculaphis caricis (aphid)	Azalea spdo Euonymus sp. Taxus sp. (yew) Azalea sp.				1		Do. Do. California.*	
Diseases: Aphelenchoides parietinus	Chrysanthemum sp.		1				District of Co-	
Do	Colocasia esculenta (taro) Lilium sp. (lily) do Zingiber officinale (ginger). Citrus nobilis (king orange) do do do do Citrus sp. do do	1				2	lumbia. Pennsylvania. California.*	
Do	Zingiber officinale (ginger). Citrus nobilis (king orange)	1				1 1	Washington. Pennsylvania. Washington.	
Do	Citrus sinensis (orange)				1	3 1	California.* Maryland. New York.	
Do	do			1	1	1	Pennsylvania. Washington.	
Botrytis elliptica	do- Lilium sp. (lily)	1				2	Washington.	
Cephalosporium pammelii purpurascens. Colletotrichum orchidearum	Malus sylvestris (apple) Cymbidium sp. (orchid) Ipomcea batatas (sweet-						Maryland. California.*	
Diaporthe batatis Diplodiella oryzae	Ipomeea batatas (sweet- potato). Oruza sativa (rice)					1	Massachusetts. New York.	
Gloeodes pomigena Monochaetia paeoniae Mycosphaerella moutan	Malus sylvestris (apple) Paeonia moutan var	1				2	Pennsylvania. California.* Do.*	
Mycosphaerella schoenoprasi	potato). Oryza satira (rice) Malus sylvestris (apple) Paeonia moulan var do Allium cepa (onion) Allium fistulosum (Welsh onion).					1 7	New York. Pennsylvania.	
Do	Allium porrum (leek)					24 2	Maryland. New York.	
Do Mycosphaerella &hiraiana Oidium euonymi-japonici	Oryza sativa (rice) Euonymus japonicus (ever-	2			1	7	Pennsylvania. New York, California.*	
Do	green burningbush). Euonymus japonicus varie- gata.				1		Washington.	
Do Pestalozzia batatae	Euonymus sp				2	1	Do. Pennsylvania.	
Phaecseptoria oryzae (?) Phoma glumarum Phomopsis batatae	Oryza sativa (rice) do				ì	1 1	New York. Do. Do.	
	potato).					1	20.	

List, by countries, of pests collected and reported from July 1, 1936, to June 30, 1937, inclusive—Continued

		Nur	nber tion	of in	terce	p-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
Trans Cartina d				-	<u> </u>		
JAPAN—Continued							
Diseases—Continued. Pratylenchus pratensis. Sclerotinia fructicola. Sclerotiopsis testudinea. Do	Colocasia esculenta (taro) Matus sylvestria (apple) Paeonia moutan var Paeonia suffruticosa (tree peony).	1	1 1			1	Virginia. Pennsylvania. California.* Do.*
Do Tilletia horrida Uromyces lespedezae-procum-	Oryza sativa (rice) Lespedeza formosa (purple	2	3			1	Washington. New York. Washington.
bentis. Ustilago esculenta	bushclover). Zizania sp. (wildrice)					1	New York.
Insects:							
Fiorinia proboscidaria (Coccidae).	Citrus limonia (lemon)					1	Massachusetts.
Maruca testulalis (bean pod borer).	Phaseolus sp. (string bean).					1	California.*
Parlatoria ziziphus (Coccidae).	Citrus limonia					1	Do.*
Do Do Pseudococcus lilacinus (Coc-	Citrus sinensis (orange) Citrus grandis (pomelo)					3 1 1	Massachusetts. California.* New York.
cidae). Stephanoderes hampei (coffee berry borer).	Coffea sp		2				Do.
Kenya							-
Insects: Stephanoderes hampei (coffee berry borer).	Coffea sp		1				Do.
LIBERIA							
Insects: Stephanoderes hampei (coffee berry borer).	Coffea sp		1				Do.
MADEIRA ISLANDS							
Insects: Sesamia cretica (durra stem borer).	Saccharum officinarum			1			Do.
Tineid	Camellia japonica (camellia).		1				Massachusetts.
Diseases: Septoria fructigena (?)	Passiflora sp. (passion-flower).			1			New York,
MALTA Insects: Ceratitis capitata (Mediterranean fruitfly).	On paper wrapping around apples.			1			Do.
Insects:							
Aceratagallia sordida (Cicadellidae).	Antirrhinum majus (snap-dragon).						Texas.
Do	Lactuca sativa (lettuce) Camellia japonica (camel- lia).	1					Do. Do.
Aeolus pulchellus (Elateridae).	Allium sativum (garlic)						Do.
Do Do	On bag of bagasseBean			1 1			Do. Do. Do.
Do	Lycopersicum esculentum Soil around potted plant Lactuca sativa			1 1			Do. Do.
dae). Do	Raphanus sativus (radish). Citrus sinensis (orange)			1			Do. Do.
fly). Allocoris interrupta (Cydnidae).	Antirrhinum majus (snap-dragon).	1					Do.
Amnestus pusio (Cydnidae)	d0			l 1			Do.

		Nur	nber tion	of in is in-	terce	p-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
Mexico-Continued							
Insects-Continued.	C. J A (C						m .
Amorbia emigratella (Tortric-idae).	Gardenia florida (Cape- jasmine).	1					Texas.
Anaphothrips orchidaceous (thrips).	Laelia sp. (orchid)	1					California.*
Do	Orchid	6		1			Texas.
Anastrepha ludens (Mexican	Amygdalus persica (peach)			1			Do. Do.
fruitfly).	Annona cherimola (cheri-			1			Do,
	moya). Casimiroa edulis (white-						
Do	sapote).			1			Do.
Do	Citrus aurantium (sour orange).			4			Do.
Do	Citrus grandis (grapefruit)_					1	New York.
Do	Citrus limetta (sweet lime)			6			Texas. Do.
Do	Citrus nobilis deliciosa tan- gerine).			1			Do.
Do	Citrus sinensis (orange)			161	3	1	Louisiana.
Do	Cydonia oblonga (quince)			1		5	Texas. Do.
Do	Mammea americana (mamey).			1			Do.
Do	Mangifera indica (mango)_			35			Do.
	Mangoes in railway car (2 interceptions).						Do.
Do	Persea americana (avo-			3			Do.
Do	Psidium gunjata (guava)			1			Do.
Do	Punica granatum (pomegranate).			2			Do.
Anastrepha striata (Trypeti- dae).	Pyrus communis (pear) Psidium guajava (guava)		l .	5 2			Do₊ Do₊
Anastrepha sp. (Trypetidae)_	Achras sapota (sapodilla)			2			Do.
Do	Citrus grandis (grapefruit)_			1			Do. Do.
Do Do	Citrus limetta (sweet lime)_ Citrus sinensis (orange)			9			Do. Do.
Do	Malus sylvestris (apple)			2			Do.
	Mammea americana (mamey).			1			Do.
Do Do	Mangifera indica (mango) Mangoes in railway car (2 interceptions).			23			Do. Do.
Do	Psidium guajara (guava)						Louisiana.
Do	Pyrus communis (pear)			3			Texas. Do.
Anopliomorpha reticollis (Cer-	Sapote	l	1	3			Do. Do.
ambycidae). Anthonomus grandis var.	Gossypium sp. (seed cot-			1			Do.
(Curculionidae).	ton).						California.*
gaeidae).	Mammillaria sp. (cactus)		1				
Asphondylia opuntiae (cactus fruit gallfly).	Cactus	1					Texas.
Aspidiotus palmae (Coccidae).	Camellia japonica (camel-	5					Do.
Aspidiotus persearum (Coccidae). Aspidiotus spinosus (Cocci-	do	1 2					Do.
dae). Asterolecanium aureum (Coc-	Orchid	2					District of Co-
cidae). Ataxia hubbardi (Cerambyci-	Quercus sp. (oak)			1			lumbia. Texas.
dae). Bephrata cubensis (soursop	Annona muricata (soursop)				1		Louisiana.
chalcid). Ceratocombus e r e o l a t u s	Lactura sativa (lettuce)			1			Texas.
(Cryptostemmatidae).	Zea mays (corn))	l	1]	l	Do.

List, by countries, of pests collected and reported from July 1, 1936, to June 30, 1937, inclusive—Continued

		Nur	nber tion	of in	terce	ep-		
'Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in	1—
Mexico-Continued								
Insects—Continued. Ceratolepis errans (Scolytidae)	Gardenia florida (Cape-	1					Texas.	
Ceroputo mexicanus (Coccidae) Chelinidea vittiger var. (Corei-	jasmine). Chrysanthemum sp Neomammilaria sp. (cac-	1					Do. Arizona.	
dae). 'Chilo loftini (Pyralidae) 'Cholus cattleyarum (Curcu-	tus). Saccharum officinarum Orchid		<u>-</u> -	1			California. District of	Co-
«Cholus cattleyarum (Curcu- lionidae). *Chrysomphalus dictyospermi var, (Coccidae).	Citrus aurantifolia (lime)	I			İ		lumbia. Arizona.	
Do	Do	12 2		4			Texas. Do.	
Do Chrysomphalus lilacinus (Coc-	Persea americana (avocado) Quercus alba (white oak)			4			Do. Arizona.	
cidae). Chrysomphalus personctus (Coccidae). Do	Achras sapota (sapodilla)		ļ		1			
Do	Camellia japonica (camellia). Citrus aurantifolia (lime)						Texas.	
Chrysomphalus scutiformis	Rosa spCitrus aurantifolia (lime)	1		1			Do. California.*	
(Coccidae). Cicadella guttata (Cicadellidae).	Gardenia florida (Cape- jasmine).	1					Texas.	
Cicadella pulchella (Cicadellidae). Cicadella sexlineata (Cicadel-	do	1					New York. Texas.	
lidae). Cicadula maidis (Cicadellidae).	Euchlaena mexicana (teo-sinte).						District of lumbia.	Co-
Clastoptera funesta (Cercopidae).	Gardenia florida						Texas.	
Conoderus bellus var. (Elateridae). Conotelus mexicanus (fruit	Ananas sativus						Do.	
bud beetle). Do Do	Gardenia florida Punica granatum (pome-	1					Do. Do.	
Do	granate). Swietenia mahogani (ma-						Alabama.	
Conotrachelus aguacatae (Curculionidae).	hogany). Persea americana (avocado)			1			Texas.	
Conotrachelus dimidiatus (Curculionidae).	Psidium guajava (guava) do						New York. Texas.	
Conotrachelus flavangulus (Curculionidae).	Persea americana (avocado)			1			Do.	
Coptotermes crassus (termite). Cosmopolites sordidus (banana root borer).	Citrus aurantifolia (lime) Banana debris						Do.	
Cossonus canaliculatus (Cur- culionidae). Crocidosema plebejana (Ole-	Ananas sativus Hibiscus esculentus (okra)						Do. Do.	
Crocidosema' plebeiana (Ole- threutidae). Crophius costatus (Lygaeidae). Ctenochira hieroglyphica	Orchid						California.* Texas.	
(Chrysomelidae). Ctenochira plicata (Chry-	Orchid. Gardenia florida (Cape- jasmine)do	1					Do.	
somelidae). Ctenochira stali (Chrysomelidae).	do	1					Do.	
Ctenochira vicida (Chryso- melidae). Cylas formicarius (sweetpo-	Ipomoea batatas (sweet-	1		56			Do.	
tato weevil). Cymus virescens (Lygaeidae)	potato). Daisy			1			Do.	
Diabrotica tibialis (Chryso-melidae).	Lactuca sativa (lettuce)			1			Do.	

List, by countries, of pests collected and reported from July 1, 1936, to June 30, 1937, inclusive—Continued

		Nun	nber tion	of in is in-		p-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
Mexico-Continued							
Insects—Continued. Dicaiothrips angusticeps (thrips).	Ananas sativus	1					Arizona.
Do	do	1		1			Texas. Do.
coridae). Do	Gossypium sp. (seed cot-			1			Do.
Echinothrips mexicanus (thrips):	ton). Gardenia florida (Cape- jasmine). Solanum tuberosum	1					Do.
Epicaerus cognatus (Curculi- onidae).	Camellia japonica (camel-	1					Do.
Erechtia sallaei (Membraci- dae). Forficula auricularia (Euro-	lia). Lycopersicum esculentum	1					California.
pean earwig). Frankliniella cephalica (thrips)	Gardenia florida	2					Texas.
Do4	Pelargonium sp. (gerani- um).			1			Do.
Do	Rosa sp Gladiolus sp I ilium longiflorum (Easter	1		8 <u>1</u> -			Do. Do.
Frankliniella ingentissima	lily). Gordenia florida (Cape-	1					Do.
(thrips). Frankliniella insularis (thrips)	jasmine). Antirrhinum majus (snapdragon).			3			Do.
Do	Chrysanthemum sp Gardenia florida			1			Do. New York. Texas.
Do	Orchid Phaseolus sp. (string bean)	-		1			Do.
Do	RosaCymbopogon sp			1			Do. Do.
Do	Saccharum officinarum Zea mays (corn)			2 14			Do. Do.
Fulvius anthocorides (Miridae) _ Furcaspis biformis (Coccidae) _	Citrus aurantifolia	1		2			Do. Do.
Gerstackeria mutillaria (Curculionidae). Gnorimoschema gudmanella	Mammillaria pusilla (cac- tus). Capsicum annuum						California.* Arizona.
(Gelechiidae).	do	3		1			Texas.
Gnorimoschema lycopersicella (tomato pinworm).	Lycopersicum esculentumdodo	2, 080		54			Arizona. Do.
Do Do	do	10					California.
Do	do	163					New York. Texas.
Do	Solanum melongena (egg-	1					Arizona.
Gypona vulnerata (Cicadel- lidae).	Garderia florida (Cape- jasmine).	1					Texas.
Hemichionaspis minor strachani (Coccidae).	Citrus aurantifolia (lime)	2					Do.
Hoplophorion concinna (Membracidae).	Gardenia florida (Cape- jasmine).	1					Do.
Isochaetothrips reticulatus (thrips). Do	Camellia japonica (camel- lia). Gardenia florida (Cape-	3					Do.
Lepidosaphes philococcus	jasmine). Cactus	1					California.*
(Coccidae). Do Do	Cereus marginatus (cac-	6	1	5			Tevas. California.•
Do	tus). Cereus sp. (cactus)	1					District of Co-
Do	Myrtillocactus geometri- zans (cactus).	1					Arizona.
Do	do		2				District of Co- lumbia.

List, by countries, of pests collected and reported from July 1, 1936, to June 30, 1937, inclusive—Continued

		Nur	nber tion	of in	terce	p-	
Country of origin and name of pest	Host	Cargo	ıil	Baggage	Quarters	Stores	Collected[in-
		Ca	Mail	Ba	Qua	Sto	-
Mexico—Continued	•						
Insects—Continued. Lepidosaphes philococcus (Coccidae).	Myrtillocactus monstruosus (cactus).	1					California.*
Do	Philocereus marginatus (cactus).	1	1				District of Co- lumbia.
Lepturges spermophagus (Cerambycidae). Lophocateres pusillus (Sia-	Botanical specimen Allium sativum (garlic)	1					Alabama. Texas.
mese grain beetle). Do Do	Cicer arietinum (garbanzo) - Gossypium sp. (cotton-			1 1			Do. Do.
Do	Gossypium sp. (cotton- seed). Oryza sativa (rice)	1		2			Do. Do.
Lygaeus poeyi (Lygaeidae) Lygus cristatus (Miridae)				2			Do. Do.
Do	Lactuca sativa (lettuce) Phaseolus sp. (string bean). Oncidium bicallosum (or- chid).		1				Do. California.*
Do	Orchid Cactus	5 1		1			Texas. Do.
Do	Opuntia compressa (prick- lypear). Capsicum annuum.	13		1			Do. Arizona.
Marmara sp. (Gracilariidae). Do Do Do Do Do	Citrus aurantifolia (lime)	29		4	1		Texas. Do.
Do Do	Mangifera indica (mango) - Opuntia sp. (cactus) Persea americana (avo-			2		1	Do. Do. Do.
Maruca testulalis (bean pod borer).	cado). Phaseolus sp. (string bean).	2					Do.
Metachroma longicollis (Chry-	Ananas sativus	1 4					Do. Louisiana.
somelidae). Metamasius sericeus (silky cane weevil). Do	do	2					Texas.
Do Do Metamasius sericeus carbo-	Musa spdo Banana debris	1 2 8					Louisiana. Texas. Louisiana.
narius (Curculionidae). Do Do	do Musa sp. (banana)	6 3					Texas. Do.
Metamasius sericeus var. (Curculionidae).	Banana debris	1					Louisiana, Texas.
Metriona atolanta (Chryso- melidae). Microledrida flava (Fulgori-	Gardenia florida (Cape- jasmine). Lilium longiflorum (Easter			1			Do.
dae). Minthca rugicollis (Lyctidae). Moodna bisinuella (Pyralid-	lily). Ananas sativus Zea mays (corn)			1 3			Do. Do.
idae). Mordellistena sp. (Mordellidae).	Laelia sp. (orchid)	3					California.*
Do Morpheis smerintha (Pyralid-	OrchidBamboo	1		3			District of Co- lumbia. Texas.
idae). Neuroctenus niger (Aradidae).	Prosopis sp. (mesquite)	1					Do.
Oedopa capito (Ortalidae) Opsius stactogalus (Cicadel- lidae).	Gossypium sp. (cotton) Antirrhinum majus (snap- dragon).	1					Do. Do.
Do	Rosa spAnanas sativus	1		1			Do. Do.
Parlatoria cinerea (Coccidae)	Citrus aurantifolia (lime) dodo	7 12 42					California.* Texas. Do.
ensis (Coccidae).	Citrus sinensis (orange)			3			Do.

List, by countries, of pests collected and reported from July 1, 1936, to June 30, 1937, inclusive—Continued

		Nur	nber tion	of in	terce	p-	
Country of origin and name of pest	Host	08.	=	Ваддаде	Quarters	res	Collected in-
		Cargo	Mail	Ba	\Qui	Stores	
Mexico—Continued							
Insects—Continued. Pectinophoragossypiella (pink bollworm).	Gossypium sp. (cotton) (boll).	- -		1			Texas.
Do				27			Do.
Do	Gossypium sp. (seed cotton).			18			Do.
Do	Cottonseed in railway car (5 interceptions).						Do.
Pelonomus obscurus (Dryop-idae).	Physalis sp. (husk tomato).			}			Do.
Physoneta alutacea (Chrysomelidae).	Laelia anceps (orchid)						California.*
Platynota rostrana (Tortricidae).	Capsicum annuum						Arizona.
Platynota stultana (Tortricidae).	do	_					Do. California.*
Do	Lycopersicum esculentum	9					Arizona.
Do	Solanum melongena (egg- plent).	1					Do.
Pleurophorus parvulus (Scarabaeidae). Psychid	Lactuca sativa (lettuce) Citrus aurantifolia (lime).	1		1			Texas.
Do	Gardenia florida (Cape- jasmine)	1					Do.
Do	Lilium longiflorum (Easter lily).	1					Do.
Ranzovius crinitus (Miridae) Rhagoletis sp. (Trypetidae)	Cardenia florida	1		5			Do. Do.
Do	Juglans sp. (walnut)			3			Do.
Do	Crataegus sp Juglans sp. (walnut) Prunus capollin Cactus.	1		1			Do. Do.
idae. DoSisamnes contractus (Lygaeidae).	Laelia sp. (orchid)	1		1	1	1	California.* Do.*
Do	Mammillaria karwinskiana	1					Texas.
Sitophilus mexicanus (Curculionidae).	(cactus). Bamboo			1			Do.
Sogata furcifer (Araeopidae) Stenoma catenifer (avocado	Daisy			1 4			Do. Do.
seed moth)	cado). Lactuca sativa (lettuce)			1			Do.
lidae). Taeniothrips simplex (gladiolus thrips).	Gladiolus sp	2		3			Do.
Talponia batesi (Olethreu-	Annona cherimola (cheri-			1			Do.
Tanymecus confertus (Curculionidae).	Lactuca sotiva (lettuce)		1				Do.
Targionia bromeliae (Coccidae).	Ananas satirus						New York.
Do Trypetid	Citrus sinensis (orange)	3		1			Texas.
Do	Citrus sinensis (orange) Compositae			1			District of Co
Xyleborus affinis (Scolytidae) - Xyleborus confusus (Scolytidae).	Citrus sinensis	1			1		
Zabrotes subfasciatus (Bru- chidae).	Bean			88			Do.
Do	Cicer arietinum (garbanzo)			2			Do.
Do	Oryza sativa (rice)			1 16			Do. Do.
Do	Phaseolus sp. (string bean) Tamarindus indica (tamarind).	1		1		<u>-</u> -	Do. Alabama.
Do Diseases;	Zea me ys (corn)			2			Texas.
Alternaria fasciculata	Phaseolus lunatus macro- carpus (lima bean).	1					Arizona.

		Nu	mber	of in	terce	ep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
Mexico—Continued						_	
Diseases—Continued.							
Aplanobacter michiganense	Lycopersicum esculentum Zinnia elegans (zinnia)	1		3			Texas.
Cercospora atricincta Cercospora capsici	('angieum annuum	1		1 1			Do. Do.
Cercospora medicaginis	Medicago sativa (alfalfa)			1			Do.
Cercospora rosae Cercospora rosigena (?)	Rosa sp.			1			Do. Do.
Claaosporium pisi	Rosa sp. Pisum sativum (pea) Tripsacum sp.			1			Do.
Claviceps tripsaci	Tripsacum sp		1				District of Co-
Colletotrichum agaves	agave).		1				Do.
Colletotrichum graminicolum Colletotrichum lineola	Holcus halepensis (Johnson	1					New York. Texas.
Cylindrosporium chrysan- themi.	grass). Chrysanthemum sp						Do.
Erysiphe polygoni	Pisum sativum do Prosopis sp. (mesquite) Dianthus sp. (carnation) Cucurbita maxima (squash) Punica granatum (pomegranata)	2		1			Arizona.
Do Gloeosporium leguminum	Prosopis sp. (mesquite)			1			Texas. Do.
Heterosporium echinulatum	Dianthus sp. (carnation)	1					Do.
Mycosphaerella citrullina Mycosphaerella lythracearum	Cucurbita maxima (squash)			1			Do. Do.
	granate).						
Peronospora effusa Phaeochora neowashingtoniae	granate). Spinacia oleracea (spinach). Palm			2			Do. California.
Phomopsis capsici	Capsicum annum			1			New York.
Phyllachora graminis	Paim Capsicum annum Bouteloua sp. Diectomis fastigiatus Grass Laelia anceps (orchid) Citrus si nensis (orange) Lycopersicum esculentum Lycopersicum esculentum	1					Do.
Do	Grass	1					Do. Do.
Phyllosticta laeliae	Laclia anceps (orchid)		1				California.*
Phytophthora citrophthora Phytophthora terrestria	Lucopersicum esculentum	14		1			Texas. Arizona.
Plenodomus destruens	Ipomoea batatas (sweet-		1				Florida.*
Pleospora neottiae	Culatum (orchid)		1				California.*
Pseudopeziza medicaginis Puccinia boutelouae	Medicago sativa (alfalfa) Bouteloua sp	2		1			Texas. New York.
Do	Grass	3 1					D0.
Puccinia chloridis Puccinia cynodontis	Chloris sp. (fingergrass) Capriola dactylon (Bermuda grass).	1 2					Arizona. New York.
Puccinia heterospora	Leaf Holcus halepensis (John-	<u>i</u>		1			Texas. Do.
Puccinia versicolor	son grass). Andropogon contortus	1					Do.
Do	Chioris sp. (Ingergrass)	1					Arizona.
Do	Grass	1					New York. Arizona.
Streak (virus) Uromyces medicaginis	Lycopersicum esculentum Medicago sativa (alfalfa)	17		1			Texas.
Vermicularia capsici	Medicago sativa (alfalfa) Capsicum annuum			1			Arizona.
Montserrat							
Insects: Coccus viridis (Coccidae)	Citrus aurantifolia (lime)	1					New York.
Parlatoria fluggeae brasilien- sis (Coccidae).			- 1	- 1			Massachuset ts
Targionia hartii (Coccidae) Do	do			í			New York.
Morocco Insects:							
Dermestes muslelinus (Dermestidae).	Phellodendron sp. (cork-tree).	1					Do.
Exosoma lusitanica (Chryso-melidae).	Muscari comosum (cipol-	5					Do.
Sesamia cretica (durra stem borer).	Holcus sorghum var. (broomcorn).	1					Do.
Diseases: Ascochyta lycopersici Cercospora petroselini	Lycopersicum esculentum Petroselinum hortense	1				1	Do. Pennsylvania.
	(parsley).		1	11	13	1	

List, by countries, of pests collected and reported from July 1, 1936, to June 30, 1937, inclusive—Continued

	metusive—Contint	ieu					
		Nun	nber tion	of in		p-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
Netherlands							
Insects: Acrolepia assectella (Plutel-	Allium porrum (leek)					2	New York.
lidae). Baris laticollis (Curculio-	Brassica rapa (turnip)					1	Do.
nidae). Bregmatothrips iridis (thrips) -	Iris kaempferi (Japanese iris).		1				District of Co-
DoBruchus tristiculus (Bruchi-	Iris sp Lathyrus odoratus (sweet	1					Do. Pennsylvania.
dae). Callosobruchus ademptus (Bruchidae).	pea). Pueraria thunbergiana (kudzu).						District of Co-
Do	Brassica campestris (ruta-		1			<u>-</u> -	New York. Do.
(turnip gall weevil). Do Do	baga)doBrassica rapa (turnip)					3 2	Pennsylvania. Louisiana.
Do	do					2	Maryland.
Do	do					1 4	Massachusetts. New York.
Do	do					3	Pennsylvania.
Do	do					1	Texas. Virginia.
Corcyra cephalonica (rice moth).	Waste bagging	1					Alabama.
Dialeurodes chittendeni (rho- dodendron whitefly).	Rhododendron sp						District of Co- lumbia.
Emphytus cinctus (sawfly)	Rosa chinensis manetti	3					Connecticut.* New York.
Do	do	5					Pennsylvania.*
Do	Rosa multiflora (Japanese rose).	1					Do.*
Do	Rosa rugosa (rugosa rose) Rosa sp	1 1					New York. District of Co-
Endrosis lacteella (Oecophori-dae).	Iris sp	1					lumbia. Do.
Eumerus sp. (Syrphidae)	Hyacinthus sp Narcissus sp	1					Maryland. New York.
Forficula auricularia (European earwig).	In case containing hya- cinths.	1					Massachusetts.
Do	Hyacinthus sp	1					Pennsylvania. New York.
Do Hylastes ater (Scolytidae)	Pinus sylvestris (Scotch	1 1-					Pennsylvania. New York.
Hylurgops palliatus (Scolytidae).	pine).	1					Do.
Do	Pinus sp. (pine)	1					Do.
Merodon sp. (Syrphidae)	Leucojum aestivum (sum- mer snowflake). Narcissus sp	6		1	ŀ		District of Co- lumbia.
Do	do	1					New York. Virginia.
Do	do	1 3					Washington.
Myelophilus piniperda (Scolytidae). Do	Pinus sylvestris (Scotch pine). Pine slat on peat moss bale. Syringa sp. (lilac).	3					New York.
Myzus ornatus (aphid)	Syringa sp. (lilac)	1					Do. Do.
Pheletes quercus (Elatéridae) - Pityogenes bidentatus (Scolyti- dae).	Hyacinthus sp. Pine slat on packing of peat moss.	1					Virginia. New York.
Sericus brunneus (Elateridae). Setomorpha insectella (Tinei-	Rosa chinensis manetti Iilium candidum (Ma-	1 1					Illinois.* New York.
dae). Taeniothrips vulgatissimus (thrips).	donna lily). Brassica oleracea capitata					1	Do.
Thrips angusticeps (thrips)	Lactuca sativa (lettuce)					1	Do.
Do	do					1 2	Maryland. Massachusetts.
Thrips validus (thrips) Toxotus cursor (Ceramby-	Pine slat on peat moss	1				1	New York. Do.
cidae). Xylotrupes bajulus (Scolyti-	bale.						
dae).	do	1					Do.

List, by countries, of pests collected and reported from July 1, 1936, to June 30, 1937, inclusive—Continued

New York			Nu	mber	of ir	terce	en-	
Netherlands	Country of origin and name of			tion	ns in-	_	P	
Diseases: Aphelenchoides parietinus. Hyacinthus sp. 1		Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
Do.								
Do.	Diseases:	TT tool						
Do. Tigridia sp. 6 District of Clumbia.	1/0		2					Do.
Do. Tigrida Sp. 6 District of Columbia. New York.	Do Do	Narcissus sp						Do. Pennsylvania.
Do	Do	Tigridia sp.	6					District of Co-
Do.	Aphelenchus avenae	of-the-snow).	1					New York.
Do.	Do	Eremurus sp. (desert-	1					District of Co-
Botrytis galanthina Galanthus nivalis (snow drop) 1		Scilla sp	1			1 .	Į	New York.
Do.	Aphelenchus avenae (?) Botrytis galanthina	Galanthus nivalis (snow-	1					
Do.		do	1					Michigan.
Do.	Do	do						New York.
Botrytis parasitica	Do	Muscari comosum (cipol-	1					
Colletotrichum omnivorum	Botrytis narcissicola	Narcissus sp						New York.
Ditylenchus dipsaci	Coleosporium campanulae	Campanula persicifolia	1					District of Co-
Ditylenchus dipsaci	Colletotrichum omnirorum	Aspidistra lurida (aspidis-				1		lumbia. New York.
Do	Ditylenchus dipsaci	Chionodoxa luciliae rosea	1					Do.
Do	Do	(glory-of-the-snow). Chionodora luciliae (glory-	4					Do.
Do.	Do	Colchicum speciosum alba	1					District of Co-
Do		Convallaria majalis (lily-of-the-valley).						New York.
Do		do	1		-			Pennsylvania.
Do	Do	do	2					New York.
Do		(lilybasket).		1				THILDIN.
Do		iris).						
Do				3				lumbia.
Do.	Do	Narcissus sp						District of Co-
Do.		do	3					New York.
Do	Do						1	Pennsylvania.
Do. Tigridia sp. 2 Do. Paconia sp. 1 Do.		Tigridia pavonia var						
Papvilospora parasitica	Do	Tigridia violacea	2	1				Do.
DO	Leptothyrium macrothecium	Paeonia sp.	1					Do.
Do. 1 Virginia. Paraphelenchus pseudoparietinus. Pestalozzia macrotrichum Rhododendron sp. 1 District of Columbia.	Papulospora parasitica	Tulipa sp. (tulip)						
etinus. Pestalozzia macrotrichum	Do	Do	1					Virginia.
lumbia.	etinus.							
E EN 111 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1								lumbia.
Pratylenchus pratensis Convallaria majalis (lily-of- 2 New York, the-valley).		Convallaria majalis (lily-of-						New York.
Urocystis colchici Colchicum sp. (crocus) 3 District of Columbia.	Urocystis colchici	Colchicum sp. (crocus)	3					District of Co-
Vermicularia dematium Dahlia sp. 1 New York.	Vermicularia dematium Verticillium albo-atrum	Dahlia spdo	1					New York. District of Co-

		1	_	_			
		Nut	nber tion	of in	terce	p-	
Country of origin and name of pest	Host			629	ərs		Collected in—
		Cargo	Mail	Ваддадо	Quarters	Stores	
Nevis							
Insects: Asterolecanium miliaris (Coccidae).	Bamboo		1				New York.
Targionia hartii (Coccidae)	Dioscorea sp. (yam)		1	1			Do.
Newfoundland							
Insects: Olethreutid	gonberry).						Illinois.
Do	do	10					Michigan. New York.
Do	Vaccinium sp. (blueberry)	1					Illinois. Michigan.
Tortricid	do	1					Pennsylvania.
Diseases: Sporonema oxycocci	Vaccinium vitis-idaea	2					Michigan.
NEW ZEALAND Insects:							
Hieroxestis omoscopa (Tine-idae).	Beilschmiedia tarairi						Hawaii.*
Phenacaspis eugeniae (Coccidae).	Meryta sinclairii	1					Do.*
Tortrix excessana (Tortric-	Metrosideros tomentosa	1					California.*
Trionymus diminutus (Coccidae).	Phormium cookianum	1					Hawaii.*
Do	Phormium tenax (New Zealand flaxlily).	1					Do.*
Diseases: Mycosphaerella citrullina	Cucurbita pepo (vegetable					1	Virginia.
Physalospora malorum	marrow). Malus sylvestris (apple)					1	Pennsylvania.
Nicaragua							
Insects: Altica fulvipes (Chrysomelidae).	Banana debris	1					Louisiana.
Metamasius sericeus (silky cane weevil).	do	4					Do.
Norway							
Insects: Laspeyresia strobilella (spruce	Picea excelsea (Norway		1				District of Co-
cone moth).	(Spriica)	1	1				lumbia. Massachusetts.
Olethreutid	Picea sp. (spruce)do		1				New York. Washington.
Diseases: Aphelenchus acenae Ascochyta conorum	Solanum tuberosum					1	Texas.
Fendersonia grossulariae	Ribes sp. (gooseberry)		1				New York. California.*
Phyllosticta grandimaculans Pratylenchus pratensis	Daucus carota (carrot)			1			New York. Virginia.
Ustilago levis Vermicularia trichella	Avena sativa (oats)			1	<u>i</u> -		New York. Do.
NOVA SCOTIA							
Diseases: Discella strobilina (?) Phragmotrichum chailetti	Picea rubra (red spruce)			1			Do. Do.
NYASALAND							
Insects: Oxycarenus hyalinipennis (Lygaeidae).	Gossypium sp. (cotton-seed).		1				District of Co- lumbia.
PALESTINE Insects:							
Ceratitis capitata (Mediter- ranean fruitfly).	Citrus grandis (grapefruit).			1			Massachusetts.
Chrysomphalus dictyospermi var. (Coccidae).	Citrus sinensis (orange)					1	Do.

List, by countries, of pests collected and reported from July 1, 1936, to June 30, 1937, inclusive—Continued

				_			
		Nur	aber tion	of in s in-	terce	p-	
Country of origin and name of pest	Host			98	ers		Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
		Ca	M	Ba	Qu	Sto	
PALESTINE—Continued							
Insects—Continued. Parlotoria cinerea (Coccidae)	Citrus sinensis (orange)				1		Illinois.
Parlatoria cinerea (Coccidae)_ Parlatoria fluggeae bresiliensis (Coccidae).	do					1	Illinois. Puerto Rico.
Diseases: Septoria citri	do				1		Virginia.
PANAMA					_		
Insects: Anastrepha grandis (Trypeti-	Banana debris	1					California.*
dae). Anastrepha silvai (Trypetidae)	dodo						Do.*
Chrysomphalus scutiformis (Coccidae).	Citrus sinensis					1	Do.*
Cicadella albidonotata (Cicadellidae).	Musa sp. (banana)	1					Dc.*
Cosmotoma fasciata (Ceram-	Banana debris	1					Do.*
bycidae). Furcaspis hiformis (Coccidae)_	Epidendrum atropurpureum		1				Do.*
Do	(orchid).			1			District of Co-
Do	Odontoglossum sp. (orchid)_		1				lumbia. California.*
Do	Oncidium panamense (or- chid).		1				Do.*
Do	Oncidium sp. (orchid)						District of Co- lumbia.
Do	Orchiddo	1		1			California.* District of Co-
Do	do			1			lumbia.
Heilipus perseae (Curculionidae).	Persea americana (avo- cado).				1		New York. Maryland.
Hemichionaspis minor stra- chani (Coccidae).	Citrus aurantifolia (lime)					2	Do.
Lepidosaphes lasianthi (Coccidae).	Codiaeum sp. (croton)				1		Do.
Metamasius sericeus (silky	Mangifera indica (mango) _ Banana debris	5	1				California.* Alabama.
D ₀	do	5 9					California.*
Do	Musa sp. (banana)	21					Louisiana. California.*
Sacadodes pyralis (South American bollworm).	seed).			1			Louisiana.
Stephancderes guatemalensis (Scolytidae). Targionia hartii (Coccidae)	Acacia sp			1			Do.
Targionia hartii (Coccidae) Targionia sacchari (Coccidae).	Yucca sp			1			Texas. New York.
Vinsonia stellifera (Coccidae) - Do	Aspasia sp. (orchid) Brassia verrucosa (orchid).		1	1			California.* District of Co- lumbia.
Do	Stanhopea sp. (orchid)			1			Do. California.*
Wasmannia auropunctata (ant).	Orchid			1			Camornia.
PARAGUAY							
Insects: Thamnotettix pulchellus (Cicadellidae).	Phaseolus sp. (string bean).		1				District of Co-
Diseases: Elsinoe australis	Citrae limonia	2					New York.
Peru							
Insects: Dinoderus bifoveolatus (Bos-	Serjania mexicana (bar-	1					Do.
trichidae).	basco).	1	1				Do.
Zabrotes subfasciatus (Bruchi- dae).	Phaseolus lunatus macro- carpus (lima bean).		1				D0.

		1				-	
		Nur	nber tion	of in		p-	
Country of origin and name of pest	Host	Cargo	Mail	Ваддадо	Quarters	Stores	Collected in—
PHILIPPINES							
Insects: Chrysomphalus rossi (Coccidae).	Phalaenopsis schilleriana (orchid).	1					California.*
Hemichionaspis townsendi (Coccidae).	Dendrobium aureum (or-		1				Hawaii.*
Do	chid). Phalaenopsis a mabilis rimestadiana (orchid).			1			Do.*
Icerya aegyptiaca (Coccidae) Lepidosaphes lasianthi (Coc- cidae).	Codiaeum sp. (croton)				1		Pennsylvania. Do.
Lepidosaphes tubulorum (Coccidae).	Cocos nucifera (coconut)			1			California.*
Orchidophilus aterrimus (Cur- culionidae).	Grammatophyllum multi- florum (orchid).		1				Hawaii.*
Do	Grammatophyllum specio- sum (orchid). Phalaenopsis amabilis (or-	1					District of Co- lumbia. California.*
Orchidophilus giltonotatus (Curculionidae). Parlatoria pseudaspidiotus	chid). Vanda joaquimiae (orchid)	1			2		Hawaii.*
(Coccidae). Do	Vanda teres (orchid)	1			2		Do.*
Parlatoria ziziphus (Coccidae). Prays citri (Philippine orange	Citrus aurantifolia (lime)			1		1 2	Do.* California.*
moth). Pseudococcus lilacinus (Coc-	Phalaenopsis amabilis (or-	1		1			Do.*
cidae).	chid).			1			Hawaii.*
DoSinoxylon anale (Bostrichi-	Vanda caerulea (orchid) Derris scandens	6		1			Do.* New York.
dae). Diseases:							
Cercospora nicotianae	Nicotiana tabacum (tobac-	1					Do.
Colletotrichum macrosporum	Phalaenopsis schilleriana (orchid).		1				California.*
Fusicladium eriobotryae	Eriobotrya sp			1			Washington.
PITCAIRN ISLAND							
Insects: Parlatoria fluggeae brasiliensis (Coccidae).	Citrus sinensis (orange)					1	New York.
POLAND Insects:							
Apion craccae (Curculionidae).	Vicia sp. (vetch)	1					Do.
Apion pomonae (Curculionidae).	do	1					Do.
Baris lepidii (Curculionidae)	Radicula armoracia (horse-radish).	1				1	Do.
Ceutorhynchus pleurostigma (turnip gall weevil). Forficula auricularia (Euro-	Brassica rapa (turnip)					1	Do.
pean earwig).	Dry herb		1				Pennsylvania.
Helophorus sp. (Hydrophilidae).	Soil around plants			1			New York.
Phenacoccus aceris (Coccidae). Phosphaenus hemipterus	Corylus sp						District of Co-
(Lampyridae). Diseases:	Soil around plants			1			New York.
Diplodia juglandis	Juglans sp. (walnut)	1					District of Co- lumbia.
Fusicladium depressum petro- selini.	Petroselinum hortense (parsley).					1	New York.
Sclerotinia fructigena Sclerotinia laxa	Malus sylvestris (apple)			1			Do. Do.

List, by countries, of pests collected and reported from July 1, 1936, to June 30, 1937, inclusive—Continued

		None		-fin	+	_	
Country of origin and name of		Nui	nber tion	ıs in-		p•	
pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
Portugal							
Insects: Laspeyresia splendana (Olethreutidae).	Castanea sp. (chestnut)	2					New York.
Do	Quercus sp	}				1	District of Co-
Minthea rugicollis (Lyctidae). Parlatoria ziziphus (Coccidae) Pseudococcus boninsis (Cocci- dae).	Coffea sp Citrus sp Saccharum officinarum		1'	1		1	New York. Maryland. New York.
Stephanoderes hampei (coffee berry borer). Diseases:	Coffea sp		3				Do.
Ditylenchus dipsaci Sclerotinia laxa	Solanum tuberosum Prunus sp. (cherry)			1		1	Texas. New York.
PUERTO RICO Insects:					}		
Anastrepha mombin praeop- tans (Trypetidae).	Citrus sinensis (orange)	ł					Do.
Do	Mangifera indica (mango) -		1				Alabama. New York.
Do	Psidium guajava (guava) Mangifera indica (mango) do	1		2			Do. Do. Texas.
Do Do Aspidiotus herculeanus (Coc-	Psidium guajava (guava) Spondias cytherea (golden	1	1				New York. Do.
cidae). Cylas jormicarius (sweetpotato weevil).	apple). Ipomoea batatas (sweet potato).			1			D ₀ .
Euscepes batatae (West Indian sweetpotato weevil).				2		5	Do.
Hemichionaspis minor stra- chani (Coccidae).	Annona muricata (sour-sop).		- -	1			Do.
Lachnopus curvipes (Curculionidae).	In package containing plantain, flowers, cactus		1				Do.
Marmara sp. (Gracilariidae) Maruca testulalis (bean pod	leaves, etc. Citrus sinensis (orange) Phaseolus sp. (string bean).			1		1	Louisiana. New York.
borer). Morganella longispina (Coccidae).	Citrus grandis (grapefruit)						Maryland.
Do Morganella maskelli (Cocci- dae).	do						Virginia. California.*
Myelois sp. (Pyralididae)	Tamarindus indica (tama- rind).			l			New York.
Stenoma sp. (Stenomidae)	Persea americana (avocado). Gladiolus sp					1	Do. Do.
Taeniothrips simplex (gladio- lus thrips). Do	do						Pennsylvania.
Targionia sacchari (Coccidae)	Saccharum officinarum Citrus sinensis			1			New York. Louisiana.
Colletotrichum cajani	Cajanus indicus (pigeon pea).	1					New York.
Nectria cinnabarina Pestalozzia palmarum Vermicularia dematium	Rosa sp Cocos nucifera (coconut) Phaseolus sp. (string bean)			- -	1	1	Pennsylvania. New York. Do.
RUMANIA Diseases: Cylincrosporium pomi	Malus sylvestris (apple)			1			Do.
ST. KITTS							
Insects: Asterolecanium miliaris (Coccidae).	Bamboo		1				District of Co- lumbia.
St. Lucia Insects:							
Coccus viridis (Coccidae) Hemichionaspis minor stra- chani (Coccidae).	Citrus aurantifolia (lime) do	2					New York. Do.
Do	Citrus limonia (lemon)		l	l	l	1	Massachusetts.

inclusive Continued								
	Number of interceptions in—							
Country of origin and name of pest	Host	Cargo	Mail	Ваддаде	Quarters	Stores	Collected in-	
St. Lucia-Continued								
Insects—Continued. Lepidosaphes lasianthi (Coccidae).	Codiaeum sp. (croton)				1		Massachusetts.	
Marmaro sp. (Gracilariidae). Morganella longispina (Coc-	Citrus grandis (grapefruit)_ Citrus sineniis (orange)				1	1	Virginia. Pennsylvania.	
cidae). Parlatoria crotonis (Coccidae).	Codiaeum sp. (croton)					1	Massachusetts.	
Do Pseudaonidia trilobitiformis (Coccidae).	Citrus grandis	Į.		1			New York. Georgia.	
(Coccidae). Do	Psidium guajava (guava)			1			Massachusetts.	
Insects: Chrysomphalus dictyospermi var. (Coccidae).	Citrus limor ia (lemon)					1	Maryland.	
Do	Citrus sinensis (orange) Citrus aurantifolia (lime) Ipomoea batatas (sweetpo- tato).					1 2 2	Do. Massachusetts. Do.	
Diseases: Pratylenchus pratensis	Dioscorea sp. (yam)			1			Do.	
Insects:								
Acalypta parvula (Tingitidae) Apion pomonae (Curculionidae).	Calluna vulgaris (heather) Vicia angustifolia (vetch)	1					New York. Do.	
Do Do Bruchus luteicornis (Bruchidae.)	Vicia sp. (vetch)doVicia angustifolia	2 1 1					Alabama. Louisiana. New York.	
Do	Vicia spdo	1					Alabama. Louisiana.	
Ceutorhynchus pleurostigma (turnip gall weevil).	Brassica campestris (ruta- baga).					1	New York. Pennsylvania.	
Do	Brassica rapa (turnip) Calluna vulgaris (heather).		1				Do. New York.	
Coleophora sp. (Coleophoridae).	do						Do. Pennsylvania.	
Endrosis lacteella (Oecophoridae).	do						New York.	
Frankliniella intonsa (thrips) . Gelechia ericetella (Gelechiidae).		1					Illinois.	
DoGeometrid	do do do		2 1 1				New York. Illinois. Maryland. New York.	
Do	dodo		69 3		~			
			1	1			Do. Do.	
Micrelus ericae (Curculioni- dae).							Maryland. New York.	
Noctuid	do		94				Maryland. New York.	
Olethreutid Orthezia cataphracta (Coccidae).	do						Do. Do.	
Orthotylus ericetorum (Miridae).	Calluna vulgaris (heather)		1				Do.	
Platythrips tunicatus (thrips)	do		2 2				Do. Do.	
Psylliodes chrysocephala (Chrysomelidae). Do	Brassica oleracea botrytis (cauliflower).					1	Do. Pennsylvania.	

List, by countries, of pests collected and reported from July 1, 1936, to June 30, 1937, inclusive—Continued

		NTmy	nber				
		Nui	tion	ns in-			
Country of origin and name of pest	Host			age	ers	8	Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
SCOTLAND—Continued							
Insects-Continued.	Q.11						
Rhinocola ericae (Chermidae). Do	Calluna vulgarisdoGladiolus sp		2 2 1				New York. Pennsylvania. District of Co-
(aphid). Strophosoma melanogram-	Calluna vulgaris						lumbia. New York,
mum (Curculionidae). Stygnocoris fuligineus (Ly-	do		1				Do.
gaeidae). Taeniothrips atratus (thrips)							Massachusetts.
Do	do		85				Michigan. New York.
Do	Lactuca sativa (lettuce)		1				Pennsylvania. New York.
Do	Lavandula sp. (lavender) Calluna vulgaris (heather)		1 50				Do. Do.
(thring)	do		1				Massachusetts.
Do Thrips flavus (thrips)	do		2 2				New York, Do.
Thrips fuscipennis (thrips) Tingis cardui (Tingitidae)							Pennsylvania. New York.
Tortricid	do	l	12				Do. Do.
Ulopa reticulata (Cicadellidae).	ao		15				Do.
Diseases: Septoria chrysanthemella	Chrysanthemum sp				1		Do.
Insects:							
Hemichionaspis townsendi (Coccidae).	Saccolabium giganteum			1			District of Co- lumbia.
Parlatoria ziziphus (Coccidae).	Citrus grandis (pomelo)					1	Washington.
SOUTH AMERICA							
Insects: Anastrepha sp. (Trypetidae)	Lucuma oborata			1			New York.
SPAIN	Dacama oootata			1			TYON TOLKS
Insects: Ceratitis capitata (Mediterra-	Citrus sinensis (orange)					1	Louisiana.
noon fruit fly						1	New York.
Do	do					1 1	Puerto Rico. Massachusetts.
						1	New York.
Chilo sp. (Pyralididae)	Oryza sativa (rice) Citrus limonia (lemon)	1			1	1	Do. Maryland.
Do	do Citrus sinensis (orange)					1 1	Massachusetts. Texas.
Do	Euonymus sp				3	3	Maryland. New York.
Do	Palm Rosa sp				1		Do. District of Co-
Eriococcus araucariae (Cocci-	Araucaria sp				2		lumbia. New York.
(130). Parlatoria fluggeae brasiliensis	Citrus sinensis (orange)				1		Texas.
(Coccidae). Parlatoria ziziphus (Coccidae).	Citrus limonia (lemon)					1	California.*
Do Psylliodes chrysocephala	Citrus sinensis (orange) Brassica rapa (turnip)				2	1	Texas. New York.
(Chrysomelidae). Diseases:							
Phytophthora citrophthora Septoria citri Septoria citri (?)	Citrus sinensis Citrus limonia Citrus sinensis					$\frac{1}{2}$	Pennsylvania. Do.
Septoria citri (?)	Citrus sinensis				1		Virginia.

List, by countries, of pests collected and reported from July 1, 1936, to June 30, 1937, inclusive—Continued

		Nu	p-				
Country of origin and name of pest	Host	Cargo	Mail	Ваддаде	Quarters	Stores	Collected in—
STRAITS SETTLEMENTS							
Insects: Aspidiotus palmae (Coccidae) Furcaspis biformis (Coccidae)	PalmOncidium sphacelatum (or-			1	1		New York. California.*
Icerya pulcher (Coccidae) Lepidosaphes lasianthi (Coc- cidae).	PalmCodiaeum sp. (croton)	1			1 2		New York. Maryland.
Orchidophilus aterrimus (Cur- culionidae).	Denarobium pierardii (orchid).			1	5		Pennsylvania. California.*
Do	Oncidium sphacelatum			1			Do.*
Parlatoria pseudaspidiotus (Coccidae).	(orehid). Vanda sp. (orehid)						Do.*
Parlatoria ziziphus (Coccidae)	Citrus grandis (pomelo)					2	Do.* Maryland.
Do	do					2	Massachusetts. South Carolina.
Stephanoderes hampei (Scolytidae).	Citrus grandis (pomelo)dodododoCoffea sp		1				New York.
Diseases: Bacterium citri Botrytis allii	Citrus grandis (pomelo) Allium cepa (onion) Citrus limonia (lemon)					1	Pennsylvania. Virginia.
Phoma citricarpa	Citrus limonia (lemon)					1	Massachusetts.
Insects: Parlatoria pseudaspidiotus (Coccidae).	Vanda sp. (orchid)			1			California.*
SWEDEN							
Insects: Acanthocinus aedilis (Cerambycidae).	Pinus sp. (pine)	2					New York.
Acrolepia assectella (Plutellidae).	Allium porrum (leek)					1	Do.
Antharia quadripunctata (Buprestidae).	Pinus sp. (pine)						Do.
Athous subfuscus (Elateridae). Caenoptera minor (Cerambycidae).	Narcissus sp	2		1			Do. Do.
Ceutorhynchus pleurostigma (turnip gall weevil).	Brassica campestris (ruta- baga).					1	Do.
Hylobius abietis (Curculionidae). Laspeyresia strobilella (Ole-	Pine wood packing on peat moss. Picea sp. (spruce)	1		2			Do. Do.
threutidae). Magdalis violacea (Curculionidae).	Pinus sp. (pine)	1	1		1		Do.
Pityogenes chalcographus	do	1					Do.
(Scolytidae). Pityogenes micrographus	do	3					Do.
(Scolytidae). Pogonocherus fasciculatus (Cerambycidae).	do	2			- -		Do.
Semanotus undatus (Ceram-	do	2					Do.
bycidae). Tetropium luridum (Cerambycidae).	do	1					Do.
Diseases: Colletotrichum erumpens Ditylenchus dipsaci	Rheum sp. (rhubarb) Solanum tuberosum					1 1	Virginia. Texas.
Do Mycosphaerella stemmatea	Vaccinium sp. Picea excelsa (Norway		1			1	Virginia. Washington.
Thecopsora areolata Switzerland	Spruce).			1			New York.
Insects: Bruchidius villosus (Bruchi-	Cytisus sp		1				Do.
dae). Earias sp. (Noctuidae)	Gossypium sp. (cotton)	1					Do.
	(waste).						

List, by countries, of pests collected and reported from July 1, 1936, to June 30, 1937. inclusive—Continued

		Number of interceptions in—						
Country of origin and name of pest	Host	Cargo	Mail Baggage Quarters		Quarters	Stores	Collected in—	
Switzerland—Continued								
Insects—Continued. Frankliniella intonsa (thrips) Laspeyresia splendana (Olethreutidae). Parlatoria camelliae (Coccidae). Taeniothrips picipes (thrips) Thrips validus (thrips)	Ipomoea sp. (morning-glory) Castanea sp. (chestnut) Camellia japonica Ipomoea sp. (morning-glory) Gentiana sp. (gentian)		1				New York. Do. Do. Do. Do.	
Insects: Bruchus dentipes (Bruchidae). Bruchus ervi (Bruchidae) Chrysomphalus inopinatus (Coccidae). Lepidosaphes halli (Coccidae).	Vicia faba (fava bean) Lens esculenta (lentil) Matus sylvestris (apple) Prunus armeniaca (apricot)	1	}	1			Michigan. New York. Do. District of Co- lumbia.	
TAHITI Insects: Parlatoria cinerea (Coccidae). Trionymus sacchari (Coccidae). TAIWAN	Citrus sinensis (orange) Saccharum officinarum (sugarcane).		1		1		California.* District of Columbia.	
Insects: Fiorinia theae (Coccidae)	Citrus grandis (pomelo)					1	Maryland. Do.	
TANGANYIKA Insects: Stephanoderes hampei (Scolytidae).	Coffea sp		1				New York.	
TOBAGO Diseases: Uredo ignava	Bambusa sp		1				Do.	
Insects: Aganectesis indecora (Pyralididae). Anastrepha sp. (Trypetidae). Aspidiotus diffinis (Coccidae). Asterolecanium aureum (Coccidae). Furcaspis biformis (Coccidae). Hemichionaspis minor strachani (Coccidae). Lepidosaphes lasianthi (Coccidae). Lepidosaphes rubrorittatus (Coccidae). Marmara sp. (Gracilariidae). Orthaea servillei (Lygaeidae). Parlatoria fluggeae brasiliensis (Coccidae). Phelomerus aberrans (Bruchidae). Pseudaonidia trilobitiformis (Coccidae). Xyleborus affinis (Scolytidae). Diseases: Cerotelium desmium Colletotrichum cajani Gloeosporium melongenae	Cassia fistula (golden- shower). Mangifera indica (mango) Persea americana (avocado) Gongora atropurpurea (or- chid). Orchid. Citrus aurantifolia (lime). Codiaeum sp. (croton) Herea brasiliensis (Para rubbertree). Citrus grandis (grapefruit) Mangifera indica (mango) Citrus sinensis (orange) do Cassia nodosa (jointwood). Annona recticulata (cus- tard-apple). Tree seed necklace Gossypium sp. (cotton) Cajanus indicus (gandule). Solanum melongena (egg- plant). Lactuca sativa (lettuce)	1 1	1 1 1		1 1 1 1	1	Do. Louisiana. New York. District of Columbia. Do. Massachusetts. Maryland. District of Columbia. New York. Louisiana. Maryland. Pennsylvania. District of Columbia. New York. Do. Do. Do. Do. Do.	
Tunis Insects:								
Parlatoria blanchardi (Coccidae).	Phoenix dactylifera (date)		5				Do.	

List, by countries, of pests collected and reported from July 1, 1936, to June 30, 1937, inclusive—Continued

	inclusive—Contin	ued						
		Nu	mber tion	of in	p-			
Country of origin and name of pest	Host	Cango	Mail	Ваккако	Quarters	Stores	Collected in—	
TURKEY								
Insects: Brachyplar palliata (Lygaeidae).	Papaver sp. (poppy)			1			District of Co-	
Bruchidius histrio (Bruchidae).	Lupinus sp. (lupine)			1			Do.	
Bruchus hamatus (Bruchidae) Do	Legume			1 7			Do. Do.	
Bruchus rufipes (Bruchidae)	Legume			1 2			Do.	
Bruchus ulicis (Bruchidae) Bruchus viciae (Bruchidae)	Seed	1					Do. Do.	
Do	Legime saed	1	1	1			Do.	
Callirhytis glandium (Cynip- idae).	Quercus sp. (valonia)	l .					New York.	
Dasytiscus affinis (Dasytidae)	Seed			1			District of Co-	
Haplothrips distinguendus (thrips).	Stipa sp. (feathergrass)	1					Do.	
Holcogaster fibulata (Penta- tomidae).	Compositae			1			Do.	
Limothrips consimilis (thrips).	Arena sativa (oat)			1 1			Do. Do.	
Macroplax fasciatus (Lygaeidae).	Perennial			1			Do.	
Do	Scorzonera sp. (serpent-root).			1			Do.	
Do	Seed Borago officinalis (borage)			1			Do. Do.	
Mononychus salviae (Curculionidae).	Iris sp		1				Do.	
Nysius cymoides (Lygaeidae) - Paromius gracilis (Lygaeidae) -	Portulaca sp			1			Do. Do.	
Pectinophora gossypiella (pink bollworm). Stagonomus bipunctatus (Pen-	Gossypium sp. (seed cotton). Seed of unidentified flower.						Texas.	
tatomidae). Diseases:	Seed of anidentined nower.	1					District of Co- lumbia.	
Anguina tritici	Triticum nestivum (wheat) _	1					Do.	
Ditylenchus intermedius Frysiphe polygoni	Medicago sativa (alfalfa) Gunsophila su (2)		1				Do. Do.	
Polythrincium trifolii	Trifolium sp. (clover)			1			Do.	
Do Uromyces trifolii	Vicia sp. (vetch)			1			Do. Do.	
Ustilago nuda	Triticum nestivum (wheat) Medicago satira (alfalfa) Gypsophila sp. (?) Trifolium sp. (clover) Vicia sp. (vetch) Trifolium sp. (clover) Hordeum vulçare (barley)	1					Do.	
Union of South Africa								
Insects: Asterolecanium stentae (Coc-	Caraluma schweinfurthii		1				California.*	
cidae).	Hoodia sp						Do.*	
Do	Huernia ca:r.panulata		1				Do.*	
Do	L'uernia sp		1				District of Co- lumbia.	
Chionaspis subnudatus (Coccidae).	Stapelia gigantea pallida		1				Do.	
Do	Stapelia sp Citrus sinensis (orange)		1			1	California.* Maryland.	
Do	Encephalartos latifrons	1				1	Washington. District of Co-	
Frankliniella schultzei (thrips).	Ornithogalum thyrsoides		1				lumbia. New York.	
Haplothrips nigricornis (thrips).	(chinkerichee). Helichrysum sp. (everlasting).	1					Do.	
Do	Ornithogalum thyrsoides Aloe grandidentata		2				Washington. District of Co-	
Parlatoria fluggeae brasiliensis (Coccidae).	Citrus sinensis (orange)					1	lumbia. Virginia.	
Parlatoria ziziphus (Coccidae).	do					1	Maryland.	
Taeniothrips fumosa (thrips)							District of Co- lumbia.	
Do	do		56				New York.	

List, by countries, of pests collected and reported from July 1, 1936, to June 30, 1937, inclusive—Continued

		Nui	nber tion	of in			
Country of origin and name of pest	Host	0,5		Baggage	ters	e,S	Collected in-
		Cargo	Mail	Bag	Quarters	Stores	
Union of South Africa-Con.							
Diseases: Heterosporium ornithogali Do	Ornithogalum thyrsoides		1 6				Michigan. Pennsylvania.
Mycosphaerella citrullina Physalospora obtusa Puccinia ornithogali-thyrsoides _ Do	Cucurbita pepo (pumpkin) Malus sylvestris (apple) Ornithogalum thyrsoides do		3	- -		1 1	Do. Virginia. Illinois.
Do	do		21				Massachusetts. New York.
Do Uromyces chloridis	Chloris radiata		3	1			Pennsylvania. New York.
Union of Soviet Socialist Republics Insects:	1						
Lepidosaphes conchiformis (Coccidae). Diseases:	Punica sp		1				District of Co- lumbia.
Sphaeropsis salicis (?)	Salix sp		1				Do.
VENEZUELA Insects:			}				
Anastrepha sp. (Trypetidae) - Asterolecanium aureum (Coccidae).	Achras sapota (sapodilla) Orchid	1			1		New York. District of Co- lumbia.
Bephrata maculicollis (Eurytomidae). Castnia sp. (Castniidae)	Annona muricata (sour-sop).	1		2			New York. District of Co-
Custinu sp. (Castinidae)	Orchid	1					lumbia.
Coccus viridis (Coccidae) Eurytoma orchidearum (Eurytomidae).	Citres sinencis (orange) Catileya sp. (orchid)	1		1			New York. District of Co- lumbia.
Do	Orchid Cattleya sp. (orchid) do	2 3 1		 1			Do. Do. Puerto Rico.
Do	Orchid			1			Alabama.
DoHeraeus cincticornis (Lygaei-	do	1		1			District of Co- lumbia. Do.
dae). Macrosiphum luteum (aphid).	Cycnoches chlorochilon (swan-orchid).			1			Puerto Rico.
Mordellistena sp. (Mordellidae). Noctuid	Orchid Cattleya sp. (orchid)	1					District of Co- lumbia.
Do	Orchid Attalea cohune (cohune palm).	3					Do. New York.
Paralincus terminalis (Pentatomidae). Phatnoma annulipes (Tingiti-	Cattleya sp. (orchid) Packing around orchids	1					District of Co- lumbia.
dae). Pseudoparlatoria ostreata	Cattleya sp. (orchid)			1			Puerto Rico.
(Coccidae). Tenthecoris bicolor (Miridae)	do	2	1				District of Co- lumbia.
Do Tineid Do	Orchid Cattleya sp. (orchid)	2 3 5		 			Do. Do. Do.
Vinsonia stellifera (Coccidae)	Mangifera indica (mango)			1	1		Puerto Rico. Do.
Zophobas morio (Tenebrionidae). Diseases:	Cattleya sp. (orchid)	3					District of Co- lumbia.
Collectotrichum orchidearum Gloeosporium affini Do	Orchid Cattleya mossiae (orchid) Orchid	1 1 1					Do. California.* District of Co-
Nectria binotiana	Cattleya mossiae	1				l	lumbia. California.*

		Nui	nber tio	of in			
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
VIRGIN ISLANDS							
Insects: Caryedon fuscus (Bruchidae).	Tamarindus indica (tama-		2				New York.
Ceroputo barberi (Coccidae) Pectinophora gossypiella (pink bollworm).	Codiaeum sp. (croton) Hibiscus esculentus (okra).		1 2				Do. Do.
Targionia hartii (Coccidae) Do	Dioscorea sp. (yam) Xanthosoma sagittifolium (yautia).						Do. Do.
WEST AFRICA Insects: Targionia bromeliae (Coccidae).	Ananas sativus					1	Do.
WEST INDIES Insects: Leucaspis cockerelli (Coccidae). Diseases: Glocosporium josephinae	Pedilanthus tithymaloides (redbird-cactus).						District of Columbia. Do.
YUGOSLAVIA Insects: Lepidosaphes ficus (Coccidae)	Ficus sp. (fig)						Do.
Diseases: Aphelenchoides parietinus Erysiphe polygom Stysanus stemonites Tilletia foetans	Fragaria sp. (strawberry) Rumex sp.						
UNKNOWN ORIGIN							
Insects: Chilo sp. (Pyralididae) Cosmopolites sordidus (banana	Oryza sativa (rice)	1					Texas. Louisiana.
root borer). Leucaspis cockerelli (Coccidae). Metamasius sericeus (silky	Dendrobium sp. (orchid) Banana debris						District of Co- lumbia. Louisiana.
cane weevil).	Musa sp. (banana)	1					Do.
Metamasius sericeus carbona- rius (Curculionidae). Parlatoria crotonis (Coccidae).	Banana debris Codiaeum variegatum (cro-						Do. New York.
Diseases: Cerotelium desmium	ton). Gossypium sp. (cotton) (leaf).			1			Do.

UNIVERSITY OF FLORIDA

3 1262 09082 4904